

**B3 MENTHE EUCALYPTUS**

**SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

**SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1. Product identifier**

Product name : B3 MENTHE EUCALYPTUS  
Product code : 60009

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Degreasing cleaner, disinfectant and deodorant.  
Descaler.  
Professional use.

**1.3. Details of the supplier of the safety data sheet**

IPC  
10 Quai Malbert, 29200, BREST, FRANCE.  
Tel. : +33 (0)2 98 43 45 44. Fax : +33 (0)2 98 44 22 53  
ipc@groupe-ipc.com

**1.4. Emergency telephone number : +33 (0)1 45 42 59 59.**

Association/Organisation : INRS / ORFILA <http://www.centres-antipoison.net>.

**SECTION 2 : HAZARDS IDENTIFICATION**

**2.1. Classification of the substance or mixture**

**In compliance with EC regulation No. 1272/2008 and its amendments.**

Flammable liquid, Category 3 (Flam. Liq. 3, H226).  
Substance that is corrosive to metals, Category 1 (Met. Corr. 1, H290).  
Skin corrosion, Category 1C (Skin Corr. 1C, H314).  
Serious eye damage, Category 1 (Eye Dam. 1, H318).  
This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

**2.2. Label elements**

Biocidal detergent mixture (see section 15).

**In compliance with EC regulation No. 1272/2008 and its amendments.**

Hazard pictograms :



GHS02



GHS05

Signal Word :

DANGER

Product identifiers :

607-743-00-5 L-(+)-LACTIC ACID  
EC 277-362-3 SULPHURIC ACID ESTERS OF MONO-ALKYL C12-16, SODIUM SALTS  
EC 201-180-5 GLYCOLIC ACID

Hazard statements :

H226 Flammable liquid and vapour.  
H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.

Precautionary statements - Prevention :

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P234 Keep only in original packaging.  
P264 Wash hands thoroughly after handling.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.

**B3 MENTHE EUCALYPTUS**

## Precautionary statements - Response :

P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER, a doctor.
P390	Absorb spillage to prevent material damage.

## Precautionary statements - Disposal :

P501	Dispose of contents/container in accordance with local / regional / national / international regulations.
------	---

**2.3. Other hazards**

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC)  $\geq 0.1\%$  published by the European Chemicals Agency (ECHA) under article 57 of REACH: <http://echa.europa.eu/fr/candidate-list-table>

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances  $\geq 0.1\%$  with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

**SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS****3.2. Mixtures****Composition :**

Identification	(EC) 1272/2008	Note	%
INDEX: 607-743-00-5 CAS: 79-33-4 EC: 201-196-2  L-(+)-LACTIC ACID	GHS05 Dgr Skin Corr. 1C, H314 Eye Dam. 1, H318 EUH:071		10 $\leq$ x % < 25
INDEX: 64_17_5A CAS: 64-17-5 EC: 200-578-6 REACH: 01-2119457610-43  ETHANOL	GHS07, GHS02 Dgr Flam. Liq. 2, H225 Eye Irrit. 2, H319	[1]	10 $\leq$ x % < 25
INDEX: 73296_89_6 CAS: 73296-89-6 EC: 277-362-3 REACH: 01-2119489464-26  SULPHURIC ACID ESTERS OF MONO-ALKYL C12-16, SODIUM SALTS	GHS05 Dgr Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412		2.5 $\leq$ x % < 10
INDEX: 68515_73_1A CAS: 68515-73-1 EC: 500-220-1 REACH: 01-2119488530-36  D-GLUCOPYRANOSE, OLIGOMÉRIQUES, DÉCYL OCTYL GLYCOSIDES	GHS05 Dgr Eye Dam. 1, H318		2.5 $\leq$ x % < 10
INDEX: 79_14_1 CAS: 79-14-1 EC: 201-180-5 REACH: 01-2119485579-17  GLYCOLIC ACID	GHS07, GHS05 Dgr Met. Corr. 1, H290 Skin Corr. 1B, H314 Acute Tox. 4, H332		1 $\leq$ x % < 2.5
INDEX: 1591782_62_5 CAS: 1591782-62-5 REACH: 01-2120028964-50  D-GLUCITOL, 1-DEOXY-1-(METHYLAMINO)-, N-C8-10 ACYL DERIVS.	GHS07, GHS05 Dgr Eye Dam. 1, H318 Acute Tox. 4, H332		1 $\leq$ x % < 2.5

**B3 MENTHE EUCALYPTUS**

INDEX: 110_44_1 CAS: 110-44-1 EC: 203-768-7 REACH: 01-2119950330-49  HEXA-2,4-DIENOIC ACID	GHS07 Wng Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335		1 <= x % < 2.5
INDEX: 57_55_6 CAS: 57-55-6 EC: 200-338-0 REACH: 01-2119456809-23  PROPYLENE GLYCOL		[1]	0.1 <= x % < 1
INDEX: 80_56_8C CAS: 80-56-8 EC: 201-291-9  ALPHA-PINENE	GHS07, GHS09, GHS02 Wng Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1	[1]	0 <= x % < 0.1
INDEX: 601-096-00-2 CAS: 5989-27-5 EC: 227-813-5 REACH: 01-2119529223-47  (R)-P-MENTHA-1,8-DIENE	GHS02, GHS07, GHS08, GHS09 Dgr Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Chronic 3, H412 Aquatic Acute 1, H400 M Acute = 1	[1]	0 <= x % < 0.1
INDEX: I601029007A CAS: 5989-27-5 EC: 227-813-5 REACH: 01-2119529223-47  D-LIMONENE	GHS02, GHS07, GHS08, GHS09 Dgr Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 3, H412 Aquatic Acute 1, H400 M Acute = 1	[1]	0 <= x % < 0.1

**Specific concentration limits:**

Identification	Specific concentration limits	ATE
INDEX: 64_17_5A CAS: 64-17-5 EC: 200-578-6 REACH: 01-2119457610-43  ETHANOL	Eye Irrit. 2A: H319 C>= 50%	inhalation: ATE = 51 mg/l 4h  oral: ATE = 10470 mg/kg BW
INDEX: 73296_89_6 CAS: 73296-89-6 EC: 277-362-3 REACH: 01-2119489464-26  SULPHURIC ACID ESTERS OF MONO-ALKYL C12-16, SODIUM SALTS	Eye Dam. 1: H318 C>= 20% Eye Irrit. 2: H319 10% <= C < 20%	
INDEX: 68515_73_1A CAS: 68515-73-1 EC: 500-220-1 REACH: 01-2119488530-36  D-GLUCOPYRANOSE, OLIGOMÉRIQUES, DÉCYL OCTYL GLYCOSIDES	Eye Dam. 1: H318 C>= 10% Eye Irrit. 2: H319 10% <= C < 10%	
INDEX: 79_14_1 CAS: 79-14-1 EC: 201-180-5 REACH: 01-2119485579-17  GLYCOLIC ACID		dermal: ATE = 3.6 mg/kg BW oral: ATE = 2040 mg/kg BW

**B3 MENTHE EUCALYPTUS**

INDEX: 1591782_62_5 CAS: 1591782-62-5 REACH: 01-2120028964-50  D-GLUCITOL, 1-DEOXY-1-(METHYLAMINO)-, N-C8-10 ACYL DERIVS.		oral: ATE = 500 mg/kg BW
INDEX: 80_56_8C CAS: 80-56-8 EC: 201-291-9  ALPHA-PINENE		oral: ATE = 3500 mg/kg BW

**Information on ingredients :**

(Full text of H-phrases: see section 16)

[1] Substance for which maximum workplace exposure limits are available.

**SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

**4.1. description of first aid measures**

**In the event of exposure by inhalation :**

In the event of massive inhalation, remove the person to fresh air and keep warm and at rest.

**In the event of splashes or contact with eyes :**

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

**In the event of splashes or contact with skin :**

Remove any soiled or splashed clothing immediately.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In case of skin contact, rinse with plenty of water for at least 15 minutes. Contact a doctor.

**In the event of swallowing :**

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention immediately, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

**4.2. Most important symptoms and effects, both acute and delayed**

No data available.

**4.3. Indication of any immediate medical attention and special treatment needed**

No data available.

**SECTION 5 : FIREFIGHTING MEASURES**

Flammable.

Chemical powders, carbon dioxide and other extinguishing gas are suitable for small fires.

**5.1. Extinguishing media**

Keep packages near the fire cool, to prevent pressurised containers from bursting.

**Suitable methods of extinction**

In the event of a fire, use :

- sprayed water or water mist
- water with AFFF (Aqueous Film Forming Foam) additive
- halon
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO<sub>2</sub>)

Prevent the effluent of fire-fighting measures from entering drains or waterways.

---

## B3 MENTHE EUCALYPTUS

---

### Unsuitable methods of extinction

In the event of a fire, do not use :

- water jet

### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO<sub>2</sub>)

### 5.3. Advice for firefighters

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

---

## SECTION 6 : ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For non first aid worker

Because of the organic solvents contained in the mixture, eliminate sources of ignition and ventilate the area.

Avoid any contact with the skin and eyes.

If a large quantity has been spilt, evacuate all personnel and only allow intervention by trained operators equipped with safety apparatus.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Neutralise with an alkaline decontaminant, such as an aqueous solution of sodium carbonate or similar.

If the ground is contaminated, once the product has been recovered by sponging with an inert and non-combustible absorbent material, wash the contaminated area in plenty of water.

Clean preferably with a detergent, do not use solvents.

### 6.4. Reference to other sections

No data available.

---

## SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

#### Fire prevention :

Handle in well-ventilated areas.

Vapours are heavier than air. They can spread along the ground and form mixtures that are explosive with air.

Prevent the formation of flammable or explosive concentrations in air and avoid vapor concentrations higher than the occupational exposure limits.

Prevent the accumulation of electrostatic charges with connections to earth.

The mixture can become electrostatically charged: always ground when decanting. Wear antistatic shoes and clothing and make floors of non-conductive

Use the mixture in premises free of naked flames or other sources of ignition and ensure that electrical equipment is suitably protected.

Keep packages tightly closed and away from sources of heat, sparks and naked flames.

Do not use tools which may produce sparks. Do not smoke.

Prevent access by unauthorised personnel.

**B3 MENTHE EUCALYPTUS**

**Recommended equipment and procedures :**

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Packages which have been opened must be reclosed carefully and stored in an upright position.

**Prohibited equipment and procedures :**

No smoking, eating or drinking in areas where the mixture is used.

**7.2. Conditions for safe storage, including any incompatibilities**

Keep out of reach of children.

Do not store with bases.

**Storage**

Keep the container tightly closed in a dry, well-ventilated place.

Keep away from all sources of ignition - do not smoke.

Keep well away from all sources of ignition, heat and direct sunlight.

Avoid accumulation of electrostatic charges.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Recommended storage temperature: + 4°C to + 40°C

**Packaging**

Always keep in packaging made of an identical material to the original.

**7.3. Specific end use(s)**

No data available.

**SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1. Control parameters**

**Occupational exposure limits :**

- Germany - AGW (BAuA - TRGS 900, 08/08/2019) :

CAS	VME :	VME :	Excess	Notes
64-17-5		200 ppm 380 mg/m <sup>3</sup>		4(II)
5989-27-5		5 ppm 28 mg/m <sup>3</sup>		4(II)
5989-27-5		5 ppm 28 mg/m <sup>3</sup>		4(II)

- Belgium (Arrêté du 19/11/2020) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
64-17-5	1000 ppm 1907 mg/m <sup>3</sup>				
80-56-8	20 ppm				

- France (INRS - ED984 / 2020-1546) :

CAS	VME-ppm :	VME-mg/m <sup>3</sup> :	VLE-ppm :	VLE-mg/m <sup>3</sup> :	Notes :	TMP No :
64-17-5	1000	1900	5000	9500	-	84

- Switzerland (SUVA PRO 2019) :

CAS	VME	VLE	Valeur plafond	Notations
64-17-5	500 ppm 960 mg/m <sup>3</sup>	1000 ppm 1920 mg/m <sup>3</sup>		
5989-27-5	7 ppm 40 mg/m <sup>3</sup>	14 ppm 80 mg/m <sup>3</sup>		
5989-27-5	7 ppm 40 mg/m <sup>3</sup>	14 ppm 80 mg/m <sup>3</sup>		

- UK / WEL (Workplace exposure limits, EH40/2005, Fourth Edition 2020) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
64-17-5	1000 ppm 1920 mg/m <sup>3</sup>				
57-55-6	10 mg/m <sup>3</sup>				

**Derived no effect level (DNEL) or derived minimum effect level (DMEL):**

HEXA-2,4-DIENOIC ACID (CAS: 110-44-1)

**B3 MENTHE EUCALYPTUS**

**Final use:**

Exposure method:  
Potential health effects:  
DNEL :

**Workers.**

Dermal contact.  
Long term systemic effects.  
40 mg/kg body weight/day

Exposure method:  
Potential health effects:  
DNEL :

Inhalation.  
Long term systemic effects.  
17.63 mg of substance/m3

**Final use:**

Exposure method:  
Potential health effects:  
DNEL :

**Consumers.**

Ingestion.  
Long term systemic effects.  
2 mg/kg body weight/day

Exposure method:  
Potential health effects:  
DNEL :

Dermal contact.  
Long term systemic effects.  
20 mg/kg body weight/day

Exposure method:  
Potential health effects:  
DNEL :

Dermal contact.  
Long term local effects.  
0.17 mg of substance/cm2

Exposure method:  
Potential health effects:  
DNEL :

Inhalation.  
Long term systemic effects.  
52.17 mg of substance/m3

Exposure method:  
Potential health effects:  
DNEL :

Inhalation.  
Long term local effects.  
26.08 mg of substance/m3

**D-GLUCITOL, 1-DEOXY-1-(METHYLAMINO)-, N-C8-10 ACYL DERIVS. (CAS: 1591782-62-5)**

**Final use:**

Exposure method:  
Potential health effects:  
DNEL :

**Workers.**

Dermal contact.  
Long term systemic effects.  
30 mg/kg body weight/day

Exposure method:  
Potential health effects:  
DNEL :

Inhalation.  
Long term systemic effects.  
10.58 mg of substance/m3

**Final use:**

Exposure method:  
Potential health effects:  
DNEL :

**Consumers.**

Ingestion.  
Long term systemic effects.  
2.14 mg/kg body weight/day

Exposure method:  
Potential health effects:  
DNEL :

Dermal contact.  
Long term systemic effects.  
21.43 mg/kg body weight/day

Exposure method:  
Potential health effects:  
DNEL :

Inhalation.  
Long term systemic effects.  
3.73 mg of substance/m3

**GLYCOLIC ACID (CAS: 79-14-1)**

**Final use:**

Exposure method:  
Potential health effects:

**Workers.**

Dermal contact.  
Long term systemic effects.

**B3 MENTHE EUCALYPTUS**

DNEL : 57.69 mg/kg body weight/day

Exposure method: Inhalation.  
Potential health effects: Short term systemic effects.  
DNEL : 9.2 mg of substance/m3

Exposure method: Inhalation.  
Potential health effects: Short term local effects.  
DNEL : 9.2 mg of substance/m3

Exposure method: Inhalation.  
Potential health effects: Long term systemic effects.  
DNEL : 10.56 mg of substance/m3

Exposure method: Inhalation.  
Potential health effects: Long term local effects.  
DNEL : 1.53 mg of substance/m3

**Final use:** **Consumers.**  
Exposure method: Ingestion.  
Potential health effects: Long term systemic effects.  
DNEL : 0.75 mg/kg body weight/day

Exposure method: Dermal contact.  
Potential health effects: Short term local effects.  
DNEL : 28.85 mg/kg body weight/day

Exposure method: Inhalation.  
Potential health effects: Short term systemic effects.  
DNEL : 2.3 mg of substance/m3

Exposure method: Inhalation.  
Potential health effects: Short term local effects.  
DNEL : 2.3 mg of substance/m3

Exposure method: Inhalation.  
Potential health effects: Long term systemic effects.  
DNEL : 2.6 mg of substance/m3

**D-GLUCOPYRANOSE, OLIGOMÉRIQUES, DÉCYL OCTYL GLYCOSIDES (CAS: 68515-73-1)**

**Final use:** **Workers.**  
Exposure method: Dermal contact.  
Potential health effects: Long term systemic effects.  
DNEL : 595000 mg/kg body weight/day

Exposure method: Inhalation.  
Potential health effects: Long term systemic effects.  
DNEL : 420 mg of substance/m3

**Final use:** **Consumers.**  
Exposure method: Ingestion.  
Potential health effects: Long term systemic effects.  
DNEL : 35,7 mg/kg body weight/day

Exposure method: Dermal contact.  
Potential health effects: Long term systemic effects.  
DNEL : 357000 mg/kg body weight/day



**B3 MENTHE EUCALYPTUS**

Exposure method: Inhalation.  
Potential health effects: Long term systemic effects.  
DNEL : 124 mg of substance/m3

**SULPHURIC ACID ESTERS OF MONO-ALKYL C12-16, SODIUM SALTS (CAS: 73296-89-6)**

**Final use:** **Workers.**  
Exposure method: Dermal contact.  
Potential health effects: Long term systemic effects.  
DNEL : 4060 mg/kg body weight/day

Exposure method: Inhalation.  
Potential health effects: Long term systemic effects.  
DNEL : 285 mg of substance/m3

**Final use:** **Consumers.**  
Exposure method: Ingestion.  
Potential health effects: Long term systemic effects.  
DNEL : 24 mg/kg body weight/day

Exposure method: Dermal contact.  
Potential health effects: Long term systemic effects.  
DNEL : 2440 mg/kg body weight/day

Exposure method: Inhalation.  
Potential health effects: Long term systemic effects.  
DNEL : 85 mg of substance/m3

**ETHANOL (CAS: 64-17-5)**

**Final use:** **Workers.**  
Exposure method: Dermal contact.  
Potential health effects: Long term systemic effects.  
DNEL : 343 mg/kg body weight/day

Exposure method: Inhalation.  
Potential health effects: Short term local effects.  
DNEL : 1900 mg of substance/m3

Exposure method: Inhalation.  
Potential health effects: Long term systemic effects.  
DNEL : 950 mg of substance/m3

**Final use:** **Consumers.**  
Exposure method: Ingestion.  
Potential health effects: Short term systemic effects.  
DNEL : 87 mg/kg body weight/day

Exposure method: Dermal contact.  
Potential health effects: Long term systemic effects.  
DNEL : 206 mg/kg body weight/day

Exposure method: Inhalation.  
Potential health effects: Short term local effects.  
DNEL : 950 mg of substance/m3

Exposure method: Inhalation.  
Potential health effects: Long term systemic effects.  
DNEL : 114 mg of substance/m3

**B3 MENTHE EUCALYPTUS**

**Predicted no effect concentration (PNEC):**

PROPYLENE GLYCOL (CAS: 57-55-6)

Environmental compartment: Soil.  
PNEC : 50 mg/kg

Environmental compartment: Fresh water.  
PNEC : 206 mg/l

Environmental compartment: Sea water.  
PNEC : 26 mg/l

HEXA-2,4-DIENOIC ACID (CAS: 110-44-1)

Environmental compartment: Soil.  
PNEC : 5 mg/kg

Environmental compartment: Fresh water.  
PNEC : 0.129 mg/l

Environmental compartment: Fresh water sediment.  
PNEC : 0.465 mg/kg

Environmental compartment: Waste water treatment plant.  
PNEC : 10 mg/l

D-GLUCITOL, 1-DEOXY-1-(METHYLAMINO)-, N-C8-10 ACYL DERIVS. (CAS: 1591782-62-5)

Environmental compartment: Soil.  
PNEC : 36.6 mg/kg

Environmental compartment: Fresh water.  
PNEC : 10 mg/l

Environmental compartment: Sea water.  
PNEC : 1 mg/l

Environmental compartment: Intermittent waste water.  
PNEC : 50 mg/l

Environmental compartment: Fresh water sediment.  
PNEC : 94 mg/kg

Environmental compartment: Marine sediment.  
PNEC : 9.4 mg/kg

GLYCOLIC ACID (CAS: 79-14-1)

Environmental compartment: Soil.  
PNEC : 0.007 mg/kg

Environmental compartment: Fresh water.  
PNEC : 0.0321 mg/l

Environmental compartment: Sea water.  
PNEC : 0.0031 mg/l

Environmental compartment: Intermittent waste water.  
PNEC : 0.312 mg/l

Environmental compartment: Fresh water sediment.  
PNEC : 0.115 mg/kg

**B3 MENTHE EUCALYPTUS**

---

Environmental compartment: Marine sediment.  
PNEC : 0.0155 mg/kg

Environmental compartment: Waste water treatment plant.  
PNEC : 7 mg/l

**D-GLUCOPYRANOSE, OLIGOMÉRIQUES, DÉCYL OCTYL GLYCOSIDES (CAS: 68515-73-1)**

Environmental compartment: Soil.  
PNEC : 0,654 mg/kg

Environmental compartment: Fresh water.  
PNEC : 0.176 mg/l

Environmental compartment: Sea water.  
PNEC : 0.0176 mg/l

Environmental compartment: Intermittent waste water.  
PNEC : 0.27 mg/l

Environmental compartment: Fresh water sediment.  
PNEC : 1,516 mg/kg

Environmental compartment: Marine sediment.  
PNEC : 0,152 mg/kg

Environmental compartment: Waste water treatment plant.  
PNEC : 560 mg/l

**SULPHURIC ACID ESTERS OF MONO-ALKYL C12-16, SODIUM SALTS (CAS: 73296-89-6)**

Environmental compartment: Soil.  
PNEC : 0.616 mg/kg

Environmental compartment: Fresh water.  
PNEC : 0.096 mg/l

Environmental compartment: Sea water.  
PNEC : 0.0096 mg/l

Environmental compartment: Intermittent waste water.  
PNEC : 0.036 mg/l

Environmental compartment: Fresh water sediment.  
PNEC : 3.37 mg/kg

Environmental compartment: Marine sediment.  
PNEC : 0.337 mg/kg

Environmental compartment: Waste water treatment plant.  
PNEC : 1084 mg/l

**ETHANOL (CAS: 64-17-5)**

Environmental compartment: Soil.  
PNEC : 0.63 mg/kg

Environmental compartment: Fresh water.  
PNEC : 0.96 mg/l

Environmental compartment: Sea water.  
PNEC : 0.79 mg/l

## B3 MENTHE EUCALYPTUS

Environmental compartment: PNEC :	Intermittent waste water. 2.75 mg/l
Environmental compartment: PNEC :	Fresh water sediment. 3.6 mg/kg
Environmental compartment: PNEC :	Marine sediment. 2.9 mg/kg
Environmental compartment: PNEC :	Waste water treatment plant. 580 mg/l

### 8.2. Exposure controls

#### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

#### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

#### - Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))

#### - Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact.

Wear suitable protective clothing and, in particular, an apron and boots. These items of clothing shall be maintained in good condition and cleaned after use.

Suitable type of protective boots :

In the event of minor spatter, wear protective boots or half-boots against chemical risks in accordance with standard EN13832-2.

In the event of prolonged contact, wear boots or half-boots with liquid-chemical-resistant and waterproof soles and uppers in accordance with standard EN13832-3.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

## SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

#### Physical state

Physical state : Fluid liquid.

#### Colour

Colorless to pale yellow

---

**B3 MENTHE EUCALYPTUS**

---

**Odour**

Odour threshold : Not stated.  
Pine, mint, eucalyptus

**Melting point**

Melting point/melting range : Not specified.

**Freezing point**

Freezing point / Freezing range : Not stated.

**Boiling point or initial boiling point and boiling range**

Boiling point/boiling range : Not specified.

**Flammability**

Flammability (solid, gas) : Not stated.

**Lower and upper explosion limit**

Explosive properties, lower explosivity limit (%) : Not stated.

Explosive properties, upper explosivity limit (%) : Not stated.

**Flash point**

Flash Point Interval : 55°C < FP <= 60°C

**Auto-ignition temperature**

Self-ignition temperature : Not specified.

**Decomposition temperature**

Decomposition point/decomposition range : Not specified.

**pH**

pH : 2.25 +/- 0.2.  
Slightly acidic.

pH (aqueous solution) : Not stated.

**Kinematic viscosity**

Viscosity : Not stated.

**Solubility**

Water solubility : Soluble.

Fat solubility : Not stated.

**Partition coefficient n-octanol/water (log value)**

Partition coefficient: n-octanol/water : Not stated.

**Vapour pressure**

Vapour pressure (50°C) : Not relevant.

**Density and/or relative density**

Density : 1,02 +/-0,05  
Method for determining the density :  
ISO 649-2 (Laboratory glassware - Density hydrometers for general purposes  
- Part 2: Test methods and use).

**Relative vapour density**

Vapour density : Not stated.

**9.2. Other information**

No data available.

**9.2.1. Information with regard to physical hazard classes**

No data available.

**9.2.2. Other safety characteristics**

No data available.

---

**SECTION 10 : STABILITY AND REACTIVITY**

**10.1. Reactivity**

Mixture which by chemical action can corrode and even destroy metals.

**10.2. Chemical stability**

This mixture is stable under the recommended handling and storage conditions in section 7.

## B3 MENTHE EUCALYPTUS

### 10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

### 10.4. Conditions to avoid

Any apparatus likely to produce a flame or to have a metallic surface at high temperature (burners, electric arcs, furnaces etc.) must not be allowed on the premises.

Avoid :

- accumulation of electrostatic charges.
- heating
- heat
- flames and hot surfaces
- frost

### 10.5. Incompatible materials

Keep away from :

- bases

### 10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO<sub>2</sub>)

## SECTION 11 : TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

May cause irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis, following exposure between one and four hours.

Corrosive reactions are typified by ulcers, bleeding, bloody scabs, and, by the end of observation at 14 days, by discolouration due to blanching of the skin, complete areas of alopecia, and scars.

#### 11.1.1. Substances

##### Acute toxicity :

ALPHA-PINENE (CAS: 80-56-8)

Oral route : LD50 = 3500 mg/kg

PROPYLENE GLYCOL (CAS: 57-55-6)

Oral route : LD50 > 5000 mg/kg  
Species : Rat

Dermal route : LD50 > 2000 mg/kg  
Species : Rabbit

HEXA-2,4-DIENOIC ACID (CAS: 110-44-1)

Oral route : LD50 > 10000 mg/kg  
Species : Rat

Dermal route : LD50 > 2000 mg/kg  
Species : Rat

D-GLUCITOL, 1-DEOXY-1-(METHYLAMINO)-, N-C8-10 ACYL DERIVS. (CAS: 1591782-62-5)

Oral route : LD50 = 500 mg/kg  
Species : Rat  
OECD Guideline 423 (Acute Oral toxicity Acute Toxic Class Method)

Dermal route : LD50 > 2000 mg/kg  
Species : Rat  
OECD Guideline 402 (Acute Dermal Toxicity)

Inhalation route (Dusts/mist) : LC50 5 mg/l  
Species : Rat  
OECD Guideline 436 (Acute Inhalation Toxicity: Acute Toxic Class (ATC) Method)

### B3 MENTHE EUCALYPTUS

Duration of exposure : 4 h

#### GLYCOLIC ACID (CAS: 79-14-1)

Oral route : LD50 = 2040 mg/kg  
Species : Rat

Dermal route : LD50 = 3.6 mg/kg  
Species : Rat

Inhalation route (n/a) : LC50 > 5.2 mg/l  
Species : Rat

#### D-GLUCOPYRANOSE, OLIGOMÉRIQUES, DÉCYL OCTYL GLYCOSIDES (CAS: 68515-73-1)

Oral route : LD50 <= 5000 mg/kg  
Species : Rat  
OECD Guideline 401 (Acute Oral Toxicity)

Dermal route : LD50 > 2000 mg/kg  
Species : Rabbit  
OECD Guideline 402 (Acute Dermal Toxicity)

#### ETHANOL (CAS: 64-17-5)

Oral route : LD50 = 10470 mg/kg  
Species : Rat  
OECD Guideline 401 (Acute Oral Toxicity)

Dermal route : LD50 > 2000 mg/kg  
Species : Rabbit  
OECD Guideline 402 (Acute Dermal Toxicity)

Inhalation route (n/a) : LC50 = 51 mg/l  
Species : Rat  
Duration of exposure : 4 h

#### 11.1.2. Mixture

No toxicological data available for the mixture.

#### 11.2. Information on other hazards

##### Monograph(s) from the IARC (International Agency for Research on Cancer) :

CAS 97-53-0 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

CAS 5989-27-5 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

CAS 5989-27-5 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

CAS 64-17-5 : IARC Group 1 : The agent is carcinogenic to humans.

### SECTION 12 : ECOLOGICAL INFORMATION

#### 12.1. Toxicity

##### 12.1.1. Substances

#### HEXA-2,4-DIENOIC ACID (CAS: 110-44-1)

Fish toxicity : LC50 = 1250 mg/l  
Species : Brachydanio rerio  
Duration of exposure : 96 h  
OECD Guideline 203 (Fish, Acute Toxicity Test)

Crustacean toxicity : EC50 = 353 mg/l  
Species : Daphnia magna  
Duration of exposure : 48 h  
OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

### B3 MENTHE EUCALYPTUS

Algae toxicity :	ECr50 = 24.1 mg/l Species : Scenedesmus subspicatus Duration of exposure : 72 h
Aquatic plant toxicity :	Species : Others Duration of exposure : 72 h
D-GLUCITOL, 1-DEOXY-1-(METHYLAMINO)-, N-C8-10 ACYL DERIVS. (CAS: 1591782-62-5) Fish toxicity :	LC50 > 100 mg/l Species : Danio rerio Duration of exposure : 96 h OECD Guideline 203 (Fish, Acute Toxicity Test)
Crustacean toxicity :	EC50 > 100 mg/l Species : Daphnia magna Duration of exposure : 48 h OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
D-GLUCOPYRANOSE, OLIGOMÉRIQUES, DÉCYL OCTYL GLYCOSIDES (CAS: 68515-73-1) Fish toxicity :	LC50 > 100 mg/l Species : Brachydanio rerio Duration of exposure : 96 h  NOEC > 1 mg/l Species : Brachydanio rerio
Crustacean toxicity :	EC50 > 100 mg/l Species : Daphnia magna Duration of exposure : 48 h  NOEC > 1 mg/l Species : Daphnia magna
ETHANOL (CAS: 64-17-5) Fish toxicity :	LC50 = 13000 mg/l Species : Oncorhynchus mykiss Duration of exposure : 96 h OECD Guideline 203 (Fish, Acute Toxicity Test)
Crustacean toxicity :	EC50 = 5012 mg/l Species : Ceriodaphnia dubia Duration of exposure : 48 h

#### 12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

#### 12.2. Persistence and degradability

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of Member States and will be provided with their request or at the request of a detergent manufacturer.

##### 12.2.1. Substances

PROPYLENE GLYCOL (CAS: 57-55-6) Biodegradability :	Rapidly degradable.
HEXA-2,4-DIENOIC ACID (CAS: 110-44-1) Biodegradability :	Rapidly degradable.
D-GLUCITOL, 1-DEOXY-1-(METHYLAMINO)-, N-C8-10 ACYL DERIVS. (CAS: 1591782-62-5) Biodegradability :	Rapidly degradable.



### B3 MENTHE EUCALYPTUS

GLYCOLIC ACID (CAS: 79-14-1)

Biodegradability : Rapidly degradable.

D-GLUCOPYRANOSE, OLIGOMÉRIQUES, DÉCYL OCTYL GLYCOSIDES (CAS: 68515-73-1)

Biodegradability : Rapidly degradable.

SULPHURIC ACID ESTERS OF MONO-ALKYL C12-16, SODIUM SALTS (CAS: 73296-89-6)

Biodegradability : Rapidly degradable.

ETHANOL (CAS: 64-17-5)

Biodegradability : Rapidly degradable.

#### 12.3. Bioaccumulative potential

No data available.

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Endocrine disrupting properties

No data available.

#### 12.7. Other adverse effects

No data available.

### SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

### SECTION 14 : TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2021 - IMDG 2020 - ICAO/IATA 2021).

#### 14.1. UN number or ID number

2924

#### 14.2. UN proper shipping name

UN2924=FLAMMABLE LIQUID, CORROSIVE, N.O.S.

(ethanol, l-(+)-lactic acid)

#### 14.3. Transport hazard class(es)

- Classification :



3+8

#### 14.4. Packing group

III

#### 14.5. Environmental hazards

-

**B3 MENTHE EUCALYPTUS**

**14.6. Special precautions for user**

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	3	FC	III	3+8	38	5 L	274	E1	3	D/E

IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ	Stowage Handling	Segregation
	3	8	III	5 L	F-E. S-C	223 274	E1	Category A SW2	-

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	3	8	III	354	5 L	365	60 L	A3 A803	E1
	3	8	III	Y342	1 L	-	-	A3 A803	E1

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

**14.7. Maritime transport in bulk according to IMO instruments**

No data available.

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**- Classification and labelling information included in section 2:**

The following regulations have been used:

- EU Regulation No 1272/2008 amended and its amendments EU . (ATP)

**- Container information:**

No data available.

**- Particular provisions :**

No data available.

**- Labelling for detergents (EC Regulation No. 648/2004,907/2006) :**

- 5 % or over but less than 15 % : anionic surfactants

- less than 5 % : nonionic surfactants

- disinfectants

- perfumes

- preservation agents

sorbic acid

- allergenic fragrances :

(r)-p-mentha-1,8-diene

**- Labelling for biocidal products (Regulation (UE) n° 528/2012) :**

Name	CAS	%	Product-type
ETHANOL	64-17-5	134.4 g/kg	02 04
L-(+)-LACTIC ACID	79-33-4	192.00 g/kg	02 04

Product-type 2 : Disinfectants and algacides not intended for direct application to humans or animals.

Product-type 4 : Food and feed area.

**15.2. Chemical safety assessment**

No data available.

**SECTION 16 : OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

**Wording of the phrases mentioned in section 3 :**

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H290 May be corrosive to metals.

### B3 MENTHE EUCALYPTUS

---

H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

#### Abbreviations :

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.  
LC50 : The concentration of a test substance resulting in 50% lethality in a given period.  
EC50 : The effective concentration of substance that causes 50% of the maximum response.  
ECr50 : The effective concentration of substance that causes 50% reduction in growth rate.  
NOEC : The concentration with no observed effect.  
REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.  
ATE : Acute Toxicity Estimate  
BW : Body Weight  
DNEL : Derived No-Effect Level  
PNEC : Predicted No-Effect Concentration  
UFI : Unique formulation identifier.  
STEL : Short-term exposure limit  
TWA : Time Weighted Averages  
TMP : French Occupational Illness table  
TLV : Threshold Limit Value (exposure)  
AEV : Average Exposure Value.  
ADR : European agreement concerning the international carriage of dangerous goods by Road.  
IMDG : International Maritime Dangerous Goods.  
IATA : International Air Transport Association.  
ICAO : International Civil Aviation Organisation  
RID : Regulations concerning the International carriage of Dangerous goods by rail.  
WGK : Wassergefährdungsklasse (Water Hazard Class).  
GHS02 : Flame  
GHS05 : Corrosion  
PBT: Persistent, bioaccumulable and toxic.  
vPvB : Very persistent, very bioaccumulable.  
SVHC : Substances of very high concern.