

# BUILDING DECAPANT PEINTURE B

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 2015/06/09 Revision date: 2022/03/28 Supersedes version of: 2021/07/30 Version: 5.1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : BUILDING DECAPANT PEINTURE B  
Product code : 304542

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Professional use  
Use of the substance/mixture : Paint stripper

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

IPC SAS  
10 Quai Cdt Malbert CS 71821 29218 BREST  
France  
T 02-98-43-45-44 - F 02-98-43-22-53  
[ipc@groupe-ipc.com](mailto:ipc@groupe-ipc.com)

#### 1.4. Emergency telephone number

| Country        | Organisation/Company                                                         | Address                           | Emergency number | Comment                           |
|----------------|------------------------------------------------------------------------------|-----------------------------------|------------------|-----------------------------------|
| United Kingdom | National Poisons Information Service<br>(Birmingham Centre)<br>City Hospital | Dudley Road<br>B18 7QH Birmingham | 0344 892 0111    | Only for healthcare professionals |

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2 H225  
Skin corrosion/irritation, Category 1, Sub-Category 1B H314  
Specific target organ toxicity — Single exposure, Category 3, Narcosis H336  
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation H335  
Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour. May cause drowsiness or dizziness. May cause respiratory irritation. Causes severe skin burns and eye damage. Causes serious eye damage.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) : Danger

# BUILDING DECAPANT PEINTURE B

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Contains                       | : 2-aminoethanol, xylene, 1-methoxypropan-2-ol                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Hazard statements (CLP)        | : H225 - Highly flammable liquid and vapour.<br>H314 - Causes severe skin burns and eye damage.<br>H335 - May cause respiratory irritation.<br>H336 - May cause drowsiness or dizziness.                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Precautionary statements (CLP) | : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.<br>P261 - Avoid breathing dust, fume, gas, mist, spray, vapours.<br>P280 - Wear protective gloves, protective clothing, eye protection, face protection.<br>P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.. Immediately call a POISON CENTER, a doctor.<br>P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER, a doctor. |
| Extra phrases                  | : For professional users only.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

### 2.3. Other hazards

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name                                                                                                                                      | Product identifier                                                                                  | %       | Classification according to Regulation (EC) No. 1272/2008 [CLP]                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1,3-dioxolane                                                                                                                             | CAS-No.: 646-06-0<br>EC-No.: 211-463-5<br>EC Index-No.: 605-017-00-2                                | 40 - 60 | Flam. Liq. 2, H225<br>Eye Dam. 1, H318                                                                                                                                                                                  |
| 1-methoxypropan-2-ol<br>substance with national workplace exposure limit(s) (FR, NL); substance with a Community workplace exposure limit | CAS-No.: 107-98-2<br>EC-No.: 203-539-1<br>EC Index-No.: 603-064-00-3<br>REACH-no: 01-2119457435-35  | 20 - 30 | Flam. Liq. 3, H226<br>STOT SE 3, H336                                                                                                                                                                                   |
| xylene<br>substance with national workplace exposure limit(s) (FR, NL); substance with a Community workplace exposure limit               | CAS-No.: 1330-20-7<br>EC-No.: 215-535-7<br>EC Index-No.: 601-022-00-9<br>REACH-no: 01-2119488216-32 | 7 - 8   | Flam. Liq. 3, H226<br>Acute Tox. 4 (Dermal), H312<br>Acute Tox. 4 (Inhalation), H332<br>Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>STOT SE 3, H335<br>STOT RE 2, H373<br>Asp. Tox. 1, H304<br>Aquatic Chronic 3, H412 |
| 2-aminoethanol<br>substance with national workplace exposure limit(s) (FR, NL); substance with a Community workplace exposure limit       | CAS-No.: 141-43-5<br>EC-No.: 205-483-3<br>EC Index-No.: 603-030-00-8<br>REACH-no: 01-2119486455-28  | 6 - 7   | Acute Tox. 4 (Oral), H302<br>Acute Tox. 4 (Dermal), H312<br>Acute Tox. 4 (Inhalation), H332<br>Skin Corr. 1B, H314<br>Aquatic Chronic 3, H412                                                                           |

# BUILDING DECAPANT PEINTURE B

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Name                                                                                                                              | Product identifier                                                                                 | %       | Classification according to Regulation (EC) No. 1272/2008 [CLP]                                                                                   |
|-----------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|---------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| Ethylbenzene<br>substance with national workplace exposure limit(s) (FR, NL); substance with a Community workplace exposure limit | CAS-No.: 100-41-4<br>EC-No.: 202-849-4<br>EC Index-No.: 601-023-00-4<br>REACH-no: 01-2119489370-35 | 1 - 3   | Flam. Liq. 2, H225<br>Acute Tox. 4 (Inhalation), H332<br>STOT RE 2, H373<br>Asp. Tox. 1, H304                                                     |
| methanol<br>substance with national workplace exposure limit(s) (FR, NL); substance with a Community workplace exposure limit     | CAS-No.: 67-56-1<br>EC-No.: 200-659-6<br>EC Index-No.: 603-001-00-X<br>REACH-no: 01-2119433307-44  | 1 - 3   | Flam. Liq. 2, H225<br>Acute Tox. 3 (Inhalation), H331<br>Acute Tox. 3 (Dermal), H311<br>Acute Tox. 3 (Oral), H301<br>STOT SE 1, H370              |
| toluene<br>substance with national workplace exposure limit(s) (FR, NL); substance with a Community workplace exposure limit      | CAS-No.: 108-88-3<br>EC-No.: 203-625-9<br>EC Index-No.: 601-021-00-3<br>REACH-no: 01-2119471310-51 | 0 - 0.2 | Flam. Liq. 2, H225<br>Skin Irrit. 2, H315<br>Repr. 2, H361d<br>STOT SE 3, H336<br>STOT RE 2, H373<br>Asp. Tox. 1, H304<br>Aquatic Chronic 3, H412 |

### Specific concentration limits:

| Name           | Product identifier                                                                                 | Specific concentration limits                                  |
|----------------|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------|
| 2-aminoethanol | CAS-No.: 141-43-5<br>EC-No.: 205-483-3<br>EC Index-No.: 603-030-00-8<br>REACH-no: 01-2119486455-28 | ( 5 ≤C < 100) STOT SE 3, H335                                  |
| methanol       | CAS-No.: 67-56-1<br>EC-No.: 200-659-6<br>EC Index-No.: 603-001-00-X<br>REACH-no: 01-2119433307-44  | ( 3 ≤C < 10) STOT SE 2, H371<br>( 10 ≤C < 100) STOT SE 1, H370 |

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

|                                       |                                                                                                                                                      |
|---------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| First-aid measures general            | : Call a physician immediately.                                                                                                                      |
| First-aid measures after inhalation   | : Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.                                |
| First-aid measures after skin contact | : Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.                                        |
| First-aid measures after eye contact  | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. |
| First-aid measures after ingestion    | : Rinse mouth. Do not induce vomiting. Call a physician immediately.                                                                                 |

### 4.2. Most important symptoms and effects, both acute and delayed

|                                     |                                                                               |
|-------------------------------------|-------------------------------------------------------------------------------|
| Symptoms/effects                    | : May cause drowsiness or dizziness.                                          |
| Symptoms/effects after inhalation   | : May cause respiratory irritation.                                           |
| Symptoms/effects after skin contact | : Irritation. Burns.                                                          |
| Symptoms/effects after eye contact  | : Eye irritation. Lacrimation. Serious damage to eyes.                        |
| Symptoms/effects after ingestion    | : Abdominal pain, nausea. May cause irritation to the digestive tract. Burns. |

# BUILDING DECAPANT PEINTURE B

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.  
Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.  
Hazardous decomposition products in case of fire : Carbon dioxide. fume. Carbon monoxide. May release flammable gases.

### 5.3. Advice for firefighters

Precautionary measures fire : Stop leak if safe to do so. Evacuate area. Do not enter fire area without proper protective equipment, including respiratory protection. Eliminate all ignition sources if safe to do so. Keep cool. Protect from sunlight.  
Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Prevent fire fighting water from entering the environment.  
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Evacuate unnecessary personnel. Do not handle until all safety precautions have been read and understood. Wear recommended personal protective equipment.

#### 6.1.1. For non-emergency personnel

Protective equipment : Do not get in eyes, on skin, or on clothing. Wear suitable gloves and eye/face protection.  
Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Do not breathe spray, mist, fume, gas, dust, vapours.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if liquid enters sewers or public waters. Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.  
Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Notify authorities if product enters sewers or public waters.  
Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

# BUILDING DECAPANT PEINTURE B

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes. Do not breathe spray, mist, fume, gas, dust, vapours.
- Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Keep away from food, drink and animal feeding stuffs.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Ground/bond container and receiving equipment.
- Storage conditions : Store in original container. Protect from sunlight. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Protect from freezing. Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.
- Incompatible products : Strong acids. Strong bases. Oxidizing agent.
- Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.
- Maximum storage period : 13 months
- Storage temperature : < 20 °C
- Storage area : Store away from heat. Store in a well-ventilated place.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1 National occupational exposure and biological limit values

| 2-aminoethanol (141-43-5)                                 |                                                                                     |
|-----------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>EU - Indicative Occupational Exposure Limit (IOEL)</b> |                                                                                     |
| Local name                                                | 2-Aminoethanol                                                                      |
| IOEL TWA                                                  | 2,5 mg/m <sup>3</sup>                                                               |
| IOEL TWA [ppm]                                            | 1 ppm                                                                               |
| IOEL STEL                                                 | 7,6 mg/m <sup>3</sup>                                                               |
| IOEL STEL [ppm]                                           | 3 ppm                                                                               |
| Remark                                                    | skin                                                                                |
| Regulatory reference                                      | COMMISSION DIRECTIVE 2006/15/EC                                                     |
| <b>France - Occupational Exposure Limits</b>              |                                                                                     |
| Local name                                                | Ethanolamine (2-Aminoéthanol)                                                       |
| VME (OEL TWA)                                             | 2,5 mg/m <sup>3</sup>                                                               |
| VME (OEL TWA) [ppm]                                       | 1 ppm                                                                               |
| VLE (OEL C/STEL)                                          | 7,6 mg/m <sup>3</sup>                                                               |
| VLE (OEL C/STEL) [ppm]                                    | 3 ppm                                                                               |
| Remark                                                    | Valeurs règlementaires contraignantes; risque de pénétration percutanée             |
| Regulatory reference                                      | Article R4412-149 du Code du travail (réf.: INRS ED 984, 2016; Décret n° 2019-1487) |

# BUILDING DECAPANT PEINTURE B

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| <b>2-aminoethanol (141-43-5)</b>                          |                                                                                     |
|-----------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>Netherlands - Occupational Exposure Limits</b>         |                                                                                     |
| TGG-8u (OEL TWA)                                          | 2,5 mg/m <sup>3</sup>                                                               |
| TGG-15min (OEL STEL)                                      | 7,6 mg/m <sup>3</sup>                                                               |
| <b>Ethylbenzene (100-41-4)</b>                            |                                                                                     |
| <b>EU - Indicative Occupational Exposure Limit (IOEL)</b> |                                                                                     |
| Local name                                                | Ethylbenzene                                                                        |
| IOEL TWA                                                  | 442 mg/m <sup>3</sup>                                                               |
| IOEL TWA [ppm]                                            | 100 ppm                                                                             |
| IOEL STEL                                                 | 884 mg/m <sup>3</sup>                                                               |
| IOEL STEL [ppm]                                           | 200 ppm                                                                             |
| Remark                                                    | Skin                                                                                |
| Regulatory reference                                      | COMMISSION DIRECTIVE 2000/39/EC                                                     |
| <b>France - Occupational Exposure Limits</b>              |                                                                                     |
| Local name                                                | Ethylbenzène                                                                        |
| VME (OEL TWA)                                             | 88,4 mg/m <sup>3</sup>                                                              |
| VME (OEL TWA) [ppm]                                       | 20 ppm                                                                              |
| VLE (OEL C/STEL)                                          | 442 mg/m <sup>3</sup>                                                               |
| VLE (OEL C/STEL) [ppm]                                    | 100 ppm                                                                             |
| Remark                                                    | Valeurs réglementaires contraignantes; risque de pénétration percutanée             |
| Regulatory reference                                      | Article R4412-149 du Code du travail (réf.: INRS ED 984, 2016; Décret n° 2019-1487) |
| <b>Netherlands - Occupational Exposure Limits</b>         |                                                                                     |
| TGG-8u (OEL TWA)                                          | 215 mg/m <sup>3</sup>                                                               |
| TGG-15min (OEL STEL)                                      | 430 mg/m <sup>3</sup>                                                               |
| <b>xylene (1330-20-7)</b>                                 |                                                                                     |
| <b>EU - Indicative Occupational Exposure Limit (IOEL)</b> |                                                                                     |
| Local name                                                | Xylene, mixed isomers, pure                                                         |
| IOEL TWA                                                  | 221 mg/m <sup>3</sup>                                                               |
| IOEL TWA [ppm]                                            | 50 ppm                                                                              |
| IOEL STEL                                                 | 442 mg/m <sup>3</sup>                                                               |
| IOEL STEL [ppm]                                           | 100 ppm                                                                             |
| Remark                                                    | Skin                                                                                |
| Regulatory reference                                      | COMMISSION DIRECTIVE 2000/39/EC                                                     |
| <b>France - Occupational Exposure Limits</b>              |                                                                                     |
| Local name                                                | Xylène, isomères mixtes, purs                                                       |
| VME (OEL TWA)                                             | 221 mg/m <sup>3</sup>                                                               |
| VME (OEL TWA) [ppm]                                       | 50 ppm                                                                              |
| VLE (OEL C/STEL)                                          | 442 mg/m <sup>3</sup>                                                               |
| VLE (OEL C/STEL) [ppm]                                    | 100 ppm                                                                             |

# BUILDING DECAPANT PEINTURE B

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| <b>xylene (1330-20-7)</b>                                 |                                                                                                                             |
|-----------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| Remark                                                    | Valeurs réglementaires contraignantes; risque de pénétration percutanée                                                     |
| Regulatory reference                                      | Article R4412-149 du Code du travail (réf.: INRS ED 984, 2016; Décret n° 2019-1487)                                         |
| <b>Netherlands - Occupational Exposure Limits</b>         |                                                                                                                             |
| TGG-8u (OEL TWA)                                          | 210 mg/m <sup>3</sup>                                                                                                       |
| TGG-15min (OEL STEL)                                      | 442 mg/m <sup>3</sup>                                                                                                       |
| <b>1-methoxypropan-2-ol (107-98-2)</b>                    |                                                                                                                             |
| <b>EU - Indicative Occupational Exposure Limit (IOEL)</b> |                                                                                                                             |
| Local name                                                | 1-Methoxypropanol-2                                                                                                         |
| IOEL TWA                                                  | 375 mg/m <sup>3</sup>                                                                                                       |
| IOEL TWA [ppm]                                            | 100 ppm                                                                                                                     |
| IOEL STEL                                                 | 568 mg/m <sup>3</sup>                                                                                                       |
| IOEL STEL [ppm]                                           | 150 ppm                                                                                                                     |
| Remark                                                    | Skin                                                                                                                        |
| Regulatory reference                                      | COMMISSION DIRECTIVE 2000/39/EC                                                                                             |
| <b>France - Occupational Exposure Limits</b>              |                                                                                                                             |
| Local name                                                | 1-Méthoxy-2-propanol (Ether méthylique du propylène-glycol) (1-Méthoxypropane-2-ol)                                         |
| VME (OEL TWA)                                             | 188 mg/m <sup>3</sup>                                                                                                       |
| VME (OEL TWA) [ppm]                                       | 50 ppm                                                                                                                      |
| VLE (OEL C/STEL)                                          | 375 mg/m <sup>3</sup>                                                                                                       |
| VLE (OEL C/STEL) [ppm]                                    | 100 ppm                                                                                                                     |
| Remark                                                    | Valeurs réglementaires contraignantes; risque de pénétration percutanée                                                     |
| Regulatory reference                                      | Article R4412-149 du Code du travail (réf.: INRS ED 984, 2016; Décret n° 2019-1487; Décret n° 2020-1546; Décret n°2021-434) |
| <b>Netherlands - Occupational Exposure Limits</b>         |                                                                                                                             |
| TGG-8u (OEL TWA)                                          | 375 mg/m <sup>3</sup>                                                                                                       |
| TGG-15min (OEL STEL)                                      | 563 mg/m <sup>3</sup>                                                                                                       |
| <b>toluene (108-88-3)</b>                                 |                                                                                                                             |
| <b>EU - Indicative Occupational Exposure Limit (IOEL)</b> |                                                                                                                             |
| Local name                                                | Toluene                                                                                                                     |
| IOEL TWA                                                  | 192 mg/m <sup>3</sup>                                                                                                       |
| IOEL TWA [ppm]                                            | 50 ppm                                                                                                                      |
| IOEL STEL                                                 | 384 mg/m <sup>3</sup>                                                                                                       |
| IOEL STEL [ppm]                                           | 100 ppm                                                                                                                     |
| Remark                                                    | skin                                                                                                                        |
| Regulatory reference                                      | COMMISSION DIRECTIVE 2006/15/EC                                                                                             |
| <b>France - Occupational Exposure Limits</b>              |                                                                                                                             |
| Local name                                                | Toluène                                                                                                                     |
| VME (OEL TWA)                                             | 76,8 mg/m <sup>3</sup>                                                                                                      |
| VME (OEL TWA) [ppm]                                       | 20 ppm                                                                                                                      |

# BUILDING DECAPANT PEINTURE B

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| toluene (108-88-3)                                 |                                                                                                                                                                 |
|----------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| VLE (OEL C/STEL)                                   | 384 mg/m <sup>3</sup>                                                                                                                                           |
| VLE (OEL C/STEL) [ppm]                             | 100 ppm                                                                                                                                                         |
| Remark                                             | Valeurs réglementaires contraignantes; substance classée toxique pour la reproduction de catégorie 2; risque de pénétration percutanée                          |
| Regulatory reference                               | Article R4412-149 du Code du travail (réf.: INRS ED 984, 2016)                                                                                                  |
| Netherlands - Occupational Exposure Limits         |                                                                                                                                                                 |
| TGG-8u (OEL TWA)                                   | 150 mg/m <sup>3</sup>                                                                                                                                           |
| TGG-15min (OEL STEL)                               | 384 mg/m <sup>3</sup>                                                                                                                                           |
| methanol (67-56-1)                                 |                                                                                                                                                                 |
| EU - Indicative Occupational Exposure Limit (IOEL) |                                                                                                                                                                 |
| Local name                                         | Methanol                                                                                                                                                        |
| IOEL TWA                                           | 260 mg/m <sup>3</sup>                                                                                                                                           |
| IOEL TWA [ppm]                                     | 200 ppm                                                                                                                                                         |
| Remark                                             | skin                                                                                                                                                            |
| Regulatory reference                               | COMMISSION DIRECTIVE 2006/15/EC                                                                                                                                 |
| France - Occupational Exposure Limits              |                                                                                                                                                                 |
| Local name                                         | Alcool méthylique (méthanol)                                                                                                                                    |
| VME (OEL TWA)                                      | 260 mg/m <sup>3</sup>                                                                                                                                           |
| VME (OEL TWA) [ppm]                                | 200 ppm                                                                                                                                                         |
| VLE (OEL C/STEL)                                   | 1300 mg/m <sup>3</sup>                                                                                                                                          |
| VLE (OEL C/STEL) [ppm]                             | 1000 ppm                                                                                                                                                        |
| Remark                                             | VME réglementaires contraignantes; la VLE n'est pas réglementaire et provient d'une circulaire du ministère chargé du travail; risque de pénétration percutanée |
| Regulatory reference                               | Article R4412-149 du Code du travail (réf.: INRS ED 984, 2016; Décret n° 2019-1487)                                                                             |
| Netherlands - Occupational Exposure Limits         |                                                                                                                                                                 |
| TGG-8u (OEL TWA)                                   | 133 mg/m <sup>3</sup>                                                                                                                                           |
| TGG-15min (OEL STEL)                               | 266 mg/m <sup>3</sup>                                                                                                                                           |

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.



# BUILDING DECAPANT PEINTURE B

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

**Eye protection:**

Safety glasses

| Eye protection |                      |                   |          |
|----------------|----------------------|-------------------|----------|
| Type           | Field of application | Characteristics   | Standard |
| Safety glasses | Droplet              | With side shields | EN 166   |
| Face shield    |                      |                   | EN 166   |

#### 8.2.2.2. Skin protection

**Skin and body protection:**

Wear suitable protective clothing

**Hand protection:**

Wear suitable gloves resistant to chemical penetration. Since the product consists of several substances, the durability of the glove material cannot be estimated and needs to be tested before use. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer

| Hand protection |                                                 |                   |                |             |            |
|-----------------|-------------------------------------------------|-------------------|----------------|-------------|------------|
| Type            | Material                                        | Permeation        | Thickness (mm) | Penetration | Standard   |
| Gloves          | Polyvinylalcohol (PVA),<br>Nitrile rubber (NBR) | 6 (> 480 minutes) |                |             | EN ISO 374 |

#### 8.2.2.3. Respiratory protection

**Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment

| Respiratory protection |                                                     |                                              |          |
|------------------------|-----------------------------------------------------|----------------------------------------------|----------|
| Device                 | Filter type                                         | Condition                                    | Standard |
|                        | Type A - High-boiling (>65 °C)<br>organic compounds | In the event of insufficient<br>ventilation: |          |

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

**Environmental exposure controls:**

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                |                   |
|----------------|-------------------|
| Physical state | : Liquid          |
| Colour         | : light yellow.   |
| Appearance     | : Viscous liquid. |
| Odour          | : Not available   |

# BUILDING DECAPANT PEINTURE B

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|                                                 |                                |
|-------------------------------------------------|--------------------------------|
| Odour threshold                                 | : Not available                |
| Melting point                                   | : Not applicable               |
| Freezing point                                  | : Not available                |
| Boiling point                                   | : > 35 °C                      |
| Flammability                                    | : Not applicable               |
| Explosive limits                                | : Not available                |
| Lower explosion limit                           | : Not available                |
| Upper explosion limit                           | : Not available                |
| Flash point                                     | : < 20 °C                      |
| Auto-ignition temperature                       | : Not available                |
| Decomposition temperature                       | : Not available                |
| pH                                              | : Not available                |
| Viscosity, kinematic                            | : Not available                |
| Solubility                                      | : Material insoluble in water. |
| Partition coefficient n-octanol/water (Log Kow) | : Not available                |
| Vapour pressure                                 | : Not available                |
| Vapour pressure at 50 °C                        | : Not available                |
| Density                                         | : Not available                |
| Relative density                                | : 1 +/-0.03                    |
| Relative vapour density at 20 °C                | : Not available                |
| Particle characteristics                        | : Not applicable               |

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Highly flammable liquid and vapour.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). gel. Direct sunlight. Protect from sunlight. Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Oxidizing agent. Strong bases.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

|                             |                                                                                     |
|-----------------------------|-------------------------------------------------------------------------------------|
| Acute toxicity (oral)       | : Not classified (Based on available data, the classification criteria are not met) |
| Acute toxicity (dermal)     | : Not classified (Based on available data, the classification criteria are not met) |
| Acute toxicity (inhalation) | : Not classified (Based on available data, the classification criteria are not met) |

# BUILDING DECAPANT PEINTURE B

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| <b>2-aminoethanol (141-43-5)</b>       |                                                                        |
|----------------------------------------|------------------------------------------------------------------------|
| LD50 oral rat                          | 1089 mg/kg                                                             |
| LD50 dermal rat                        | 2504 mg/kg                                                             |
| LC50 Inhalation - Rat                  | 1,487 mg/l/4h                                                          |
| <b>Ethylbenzene (100-41-4)</b>         |                                                                        |
| LD50 oral                              | 3500 mg/kg                                                             |
| LD50 dermal                            | 15400 mg/kg                                                            |
| LC50 Inhalation - Rat                  | 17629 mg/m <sup>3</sup>                                                |
| <b>xylene (1330-20-7)</b>              |                                                                        |
| LD50 oral                              | 3523 mg/kg                                                             |
| LD50 dermal                            | 12126 mg/kg                                                            |
| LC50 Inhalation - Rat                  | 27124 mg/m <sup>3</sup>                                                |
| <b>1-methoxypropan-2-ol (107-98-2)</b> |                                                                        |
| LD50 oral                              | 4016 mg/kg                                                             |
| LD50 dermal                            | > 2000 mg/kg bodyweight                                                |
| <b>toluene (108-88-3)</b>              |                                                                        |
| LD50 oral                              | 5580 mg/kg bodyweight                                                  |
| LD50 dermal rabbit                     | > 5000 mg/kg                                                           |
| LC50 Inhalation - Rat (Vapours)        | 28,1 mg/l/4h                                                           |
| <b>methanol (67-56-1)</b>              |                                                                        |
| LD50 oral                              | 5628 mg/kg bodyweight                                                  |
| LD50 dermal                            | 15800 mg/kg bodyweight                                                 |
| LC50 Inhalation - Rat (Dust/Mist)      | 85000 mg/l                                                             |
| <b>1,3-dioxolane (646-06-0)</b>        |                                                                        |
| LD50 oral rat                          | > 2000 mg/kg                                                           |
| LD50 dermal rabbit                     | > 2000 mg/kg                                                           |
| LC50 Inhalation - Rat                  | 68,4 mg/l                                                              |
| Skin corrosion/irritation              | : Causes severe skin burns.                                            |
| Serious eye damage/irritation          | : Assumed to cause serious eye damage                                  |
| Respiratory or skin sensitisation      | : Not classified                                                       |
| Germ cell mutagenicity                 | : Not classified                                                       |
| Carcinogenicity                        | : Not classified                                                       |
| Reproductive toxicity                  | : Not classified                                                       |
| STOT-single exposure                   | : May cause drowsiness or dizziness. May cause respiratory irritation. |
| <b>xylene (1330-20-7)</b>              |                                                                        |
| STOT-single exposure                   | May cause respiratory irritation.                                      |
| <b>1-methoxypropan-2-ol (107-98-2)</b> |                                                                        |
| STOT-single exposure                   | May cause drowsiness or dizziness.                                     |
| <b>toluene (108-88-3)</b>              |                                                                        |
| STOT-single exposure                   | May cause drowsiness or dizziness.                                     |

# BUILDING DECAPANT PEINTURE B

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| <b>methanol (67-56-1)</b>      |                                                                                     |
|--------------------------------|-------------------------------------------------------------------------------------|
| STOT-single exposure           | Causes damage to organs.                                                            |
| STOT-repeated exposure         | : Not classified                                                                    |
| <b>Ethylbenzene (100-41-4)</b> |                                                                                     |
| STOT-repeated exposure         | May cause damage to organs (hearing organs) through prolonged or repeated exposure. |
| <b>xylene (1330-20-7)</b>      |                                                                                     |
| STOT-repeated exposure         | May cause damage to organs through prolonged or repeated exposure.                  |
| <b>toluene (108-88-3)</b>      |                                                                                     |
| STOT-repeated exposure         | May cause damage to organs through prolonged or repeated exposure.                  |
| Aspiration hazard              | : Not classified                                                                    |

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

|                                                           |                                                                                                                                    |
|-----------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| Ecology - general                                         | : Do not discharge into drains or the environment. Before neutralisation, the product may represent a danger to aquatic organisms. |
| Hazardous to the aquatic environment, short-term (acute)  | : Not classified                                                                                                                   |
| Hazardous to the aquatic environment, long-term (chronic) | : Not classified                                                                                                                   |

| <b>2-aminoethanol (141-43-5)</b>       |                                                 |
|----------------------------------------|-------------------------------------------------|
| LC50 - Fish [1]                        | > 100 mg/l                                      |
| EC50 - Crustacea [1]                   | 27 mg/l                                         |
| EC50 72h - Algae [1]                   | 2,8 mg/l <i>Pseudokirchneriella subcapitata</i> |
| <b>Ethylbenzene (100-41-4)</b>         |                                                 |
| LC50 - Fish [1]                        | 5,1 mg/l                                        |
| EC50 - Crustacea [1]                   | 1,8 – 2,4 mg/l                                  |
| EC50 72h - Algae [1]                   | 3,6 – 7,7 mg/l                                  |
| <b>xylene (1330-20-7)</b>              |                                                 |
| LC50 - Fish [1]                        | 2,6 mg/l                                        |
| EC50 - Crustacea [1]                   | 1 mg/l                                          |
| EC50 72h - Algae [1]                   | 2,2 mg/l                                        |
| <b>1-methoxypropan-2-ol (107-98-2)</b> |                                                 |
| LC50 - Fish [1]                        | 6812 mg/l                                       |
| EC50 - Crustacea [1]                   | 23300 mg/l                                      |
| EC50 96h - Algae [1]                   | > 1000 mg/l                                     |
| <b>toluene (108-88-3)</b>              |                                                 |
| LC50 - Fish [1]                        | 5,5 mg/l                                        |
| EC50 - Other aquatic organisms [1]     | 3,78 mg/l waterflea                             |

# BUILDING DECAPANT PEINTURE B

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| <b>toluene (108-88-3)</b>          |                                           |
|------------------------------------|-------------------------------------------|
| EC50 72h - Algae [1]               | 134 mg/l                                  |
| <b>methanol (67-56-1)</b>          |                                           |
| LC50 - Fish [1]                    | 10800 mg/l                                |
| EC50 - Other aquatic organisms [1] | 10000 mg/l waterflea                      |
| EC50 - Other aquatic organisms [2] | 12000 mg/l                                |
| <b>1,3-dioxolane (646-06-0)</b>    |                                           |
| LC50 - Fish [1]                    | > 95,4 mg/l <i>Lepomis macrochirus</i>    |
| EC50 - Crustacea [1]               | 772 mg/l <i>Daphnia magna</i>             |
| EC50 72h - Algae [1]               | 877 mg/l <i>Selenastrum capricornutum</i> |
| NOEC chronic fish                  | 546,3 mg/l                                |
| NOEC chronic crustacea             | 197,4 mg/l                                |

### 12.2. Persistence and degradability

| <b>2-aminoethanol (141-43-5)</b>       |                            |
|----------------------------------------|----------------------------|
| Persistence and degradability          | Readily biodegradable.     |
| Biodegradation                         | 80 % 21 days               |
| <b>Ethylbenzene (100-41-4)</b>         |                            |
| Persistence and degradability          | Readily biodegradable.     |
| Biodegradation                         | 79 %                       |
| <b>xylene (1330-20-7)</b>              |                            |
| Persistence and degradability          | Readily biodegradable.     |
| Biodegradation                         | > 60 %                     |
| <b>1-methoxypropan-2-ol (107-98-2)</b> |                            |
| Persistence and degradability          | Readily biodegradable.     |
| Biodegradation                         | 96 % 28 days OCDE301E      |
| <b>toluene (108-88-3)</b>              |                            |
| Persistence and degradability          | Readily biodegradable.     |
| Biodegradation                         | 86 %                       |
| <b>methanol (67-56-1)</b>              |                            |
| Biodegradation                         | 95 % 20d                   |
| <b>1,3-dioxolane (646-06-0)</b>        |                            |
| Persistence and degradability          | Not readily biodegradable. |
| Biodegradation                         | 3,7 %                      |

### 12.3. Bioaccumulative potential

| <b>2-aminoethanol (141-43-5)</b>                |       |
|-------------------------------------------------|-------|
| Partition coefficient n-octanol/water (Log Kow) | -1,91 |

# BUILDING DECAPANT PEINTURE B

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 1-methoxypropan-2-ol (107-98-2)

Partition coefficient n-octanol/water (Log Pow) -0,49

### methanol (67-56-1)

Bioconcentration factor (BCF REACH) < 10

Partition coefficient n-octanol/water (Log Pow) -0,7

### 1,3-dioxolane (646-06-0)

Partition coefficient n-octanol/water (Log Pow) -0,37

## 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Endocrine disrupting properties

No additional information available

## 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Do not discharge into drains or the environment.  
Additional information : Flammable vapours may accumulate in the container.  
Ecology - waste materials : Do not discharge into drains or the environment.

## SECTION 14: Transport information






In accordance with ADR / IMDG / IATA / ADN / RID

| ADR                                                                                                                   | IMDG                                                                                                                    | IATA                                                                                                                    | ADN                                                                                                                     | RID                                                                                                                     |
|-----------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| <b>14.1. UN number or ID number</b>                                                                                   |                                                                                                                         |                                                                                                                         |                                                                                                                         |                                                                                                                         |
| UN 2924                                                                                                               | UN 2924                                                                                                                 | UN 2924                                                                                                                 | UN 2924                                                                                                                 | UN 2924                                                                                                                 |
| <b>14.2. UN proper shipping name</b>                                                                                  |                                                                                                                         |                                                                                                                         |                                                                                                                         |                                                                                                                         |
| FLAMMABLE LIQUID, CORROSIVE, N.O.S. (1,3-dioxolane ; 1-methoxypropan-2-ol ; 2-aminoethanol)                           | FLAMMABLE LIQUID, CORROSIVE, N.O.S. (1,3-dioxolane ; 1-methoxypropan-2-ol ; xylene ; 2-aminoethanol)                    | Flammable liquid, corrosive, n.o.s. (1,3-dioxolane ; 1-methoxypropan-2-ol ; xylene ; 2-aminoethanol)                    | FLAMMABLE LIQUID, CORROSIVE, N.O.S. (1,3-dioxolane ; 1-methoxypropan-2-ol ; xylene ; 2-aminoethanol)                    | FLAMMABLE LIQUID, CORROSIVE, N.O.S. (1,3-dioxolane ; 1-methoxypropan-2-ol ; xylene ; 2-aminoethanol)                    |
| <b>Transport document description</b>                                                                                 |                                                                                                                         |                                                                                                                         |                                                                                                                         |                                                                                                                         |
| UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (1,3-dioxolane ; 1-methoxypropan-2-ol ; 2-aminoethanol), 3 (8), II, (D/E) | UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (1,3-dioxolane ; 1-methoxypropan-2-ol ; xylene ; 2-aminoethanol), 3 (8), II | UN 2924 Flammable liquid, corrosive, n.o.s. (1,3-dioxolane ; 1-methoxypropan-2-ol ; xylene ; 2-aminoethanol), 3 (8), II | UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (1,3-dioxolane ; 1-methoxypropan-2-ol ; xylene ; 2-aminoethanol), 3 (8), II | UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (1,3-dioxolane ; 1-methoxypropan-2-ol ; xylene ; 2-aminoethanol), 3 (8), II |

# BUILDING DECAPANT PEINTURE B


## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| ADR                                                                               | IMDG                                                                              | IATA                                                                              | ADN                                                                                | RID                                                                                 |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>14.3. Transport hazard class(es)</b>                                           |                                                                                   |                                                                                   |                                                                                    |                                                                                     |
| 3 (8)                                                                             | 3 (8)                                                                             | 3 (8)                                                                             | 3 (8)                                                                              | 3 (8)                                                                               |
|  |  |  |  |  |
| <b>14.4. Packing group</b>                                                        |                                                                                   |                                                                                   |                                                                                    |                                                                                     |
| II                                                                                | II                                                                                | II                                                                                | II                                                                                 | II                                                                                  |
| <b>14.5. Environmental hazards</b>                                                |                                                                                   |                                                                                   |                                                                                    |                                                                                     |
| Dangerous for the environment: No                                                 | Dangerous for the environment: No<br>Marine pollutant: No                         | Dangerous for the environment: No                                                 | Dangerous for the environment: No                                                  | Dangerous for the environment: No                                                   |
| No supplementary information available                                            |                                                                                   |                                                                                   |                                                                                    |                                                                                     |

### 14.6. Special precautions for user

#### Overland transport

|                                                           |                                                                                       |
|-----------------------------------------------------------|---------------------------------------------------------------------------------------|
| Classification code (ADR)                                 | : FC                                                                                  |
| Special provisions (ADR)                                  | : 274                                                                                 |
| Limited quantities (ADR)                                  | : 1I                                                                                  |
| Excepted quantities (ADR)                                 | : E2                                                                                  |
| Packing instructions (ADR)                                | : P001, IBC02                                                                         |
| Mixed packing provisions (ADR)                            | : MP19                                                                                |
| Portable tank and bulk container instructions (ADR)       | : T11                                                                                 |
| Portable tank and bulk container special provisions (ADR) | : TP2, TP27                                                                           |
| Tank code (ADR)                                           | : L4BH                                                                                |
| Vehicle for tank carriage                                 | : FL                                                                                  |
| Transport category (ADR)                                  | : 2                                                                                   |
| Special provisions for carriage - Operation (ADR)         | : S2, S20                                                                             |
| Hazard identification number (Kemler No.)                 | : 338                                                                                 |
| Orange plates                                             | :  |
| Tunnel restriction code (ADR)                             | : D/E                                                                                 |
| EAC code                                                  | : •3WE                                                                                |
| APP code                                                  | : A(fl)                                                                               |

#### Transport by sea

|                                    |                                                    |
|------------------------------------|----------------------------------------------------|
| Special provisions (IMDG)          | : 274                                              |
| Limited quantities (IMDG)          | : 1 L                                              |
| Excepted quantities (IMDG)         | : E2                                               |
| Packing instructions (IMDG)        | : P001                                             |
| IBC packing instructions (IMDG)    | : IBC02                                            |
| Tank instructions (IMDG)           | : T11                                              |
| Tank special provisions (IMDG)     | : TP2, TP27                                        |
| EmS-No. (Fire)                     | : F-E                                              |
| EmS-No. (Spillage)                 | : S-C                                              |
| Stowage category (IMDG)            | : B                                                |
| Stowage and handling (IMDG)        | : SW2                                              |
| Properties and observations (IMDG) | : Causes burns to skin, eyes and mucous membranes. |

#### Air transport

|                                |      |
|--------------------------------|------|
| PCA Excepted quantities (IATA) | : E2 |
|--------------------------------|------|

# BUILDING DECAPANT PEINTURE B

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|                                              |            |
|----------------------------------------------|------------|
| PCA Limited quantities (IATA)                | : Y340     |
| PCA limited quantity max net quantity (IATA) | : 0.5L     |
| PCA packing instructions (IATA)              | : 352      |
| PCA max net quantity (IATA)                  | : 1L       |
| CAO packing instructions (IATA)              | : 363      |
| CAO max net quantity (IATA)                  | : 5L       |
| Special provisions (IATA)                    | : A3, A803 |
| ERG code (IATA)                              | : 3CH      |

### Inland waterway transport

|                                   |                 |
|-----------------------------------|-----------------|
| Classification code (ADN)         | : FC            |
| Special provisions (ADN)          | : 274           |
| Limited quantities (ADN)          | : 1 L           |
| Excepted quantities (ADN)         | : E2            |
| Carriage permitted (ADN)          | : T             |
| Equipment required (ADN)          | : PP, EP, EX, A |
| Ventilation (ADN)                 | : VE01          |
| Number of blue cones/lights (ADN) | : 1             |

### Rail transport

|                                                           |               |
|-----------------------------------------------------------|---------------|
| Classification code (RID)                                 | : FC          |
| Special provisions (RID)                                  | : 274         |
| Limited quantities (RID)                                  | : 1L          |
| Excepted quantities (RID)                                 | : E2          |
| Packing instructions (RID)                                | : P001, IBC02 |
| Mixed packing provisions (RID)                            | : MP19        |
| Portable tank and bulk container instructions (RID)       | : T11         |
| Portable tank and bulk container special provisions (RID) | : TP2, TP27   |
| Tank codes for RID tanks (RID)                            | : L4BH        |
| Transport category (RID)                                  | : 2           |
| Colis express (express parcels) (RID)                     | : CE7         |
| Hazard identification number (RID)                        | : 338         |

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

| EU restriction list (REACH Annex XVII) |                                                                                                                          |                                                                                                                                                                                                                                                                                                                   |
|----------------------------------------|--------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Reference code                         | Applicable on                                                                                                            | Entry title or description                                                                                                                                                                                                                                                                                        |
| 3(a)                                   | BUILDING DECAPANT B ; Ethylbenzene ; xylene ; 1-methoxypropan-2-ol ; toluene ; methanol ; 1,3-dioxolane                  | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F          |
| 3(b)                                   | BUILDING DECAPANT B ; 2-aminoethanol ; Ethylbenzene ; xylene ; 1-methoxypropan-2-ol ; toluene ; methanol ; 1,3-dioxolane | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10 |
| 3(c)                                   | 2-aminoethanol ; xylene ; toluene                                                                                        | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1                                                                                                                                         |



# BUILDING DECAPANT PEINTURE B

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| EU restriction list (REACH Annex XVII) |                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                    |
|----------------------------------------|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Reference code                         | Applicable on                                                                     | Entry title or description                                                                                                                                                                                                                                                                                                                                                                         |
| 40.                                    | Ethylbenzene ; xylene ; 1-methoxypropan-2-ol ; toluene ; methanol ; 1,3-dioxolane | Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not. |
| 48.                                    | toluene                                                                           | Toluene                                                                                                                                                                                                                                                                                                                                                                                            |
| 69.                                    | methanol                                                                          | Methanol                                                                                                                                                                                                                                                                                                                                                                                           |

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

| Name    | CN designation | CAS-No.  | CN code    | Category    | Threshold | Annex    |
|---------|----------------|----------|------------|-------------|-----------|----------|
| Toluene |                | 108-88-3 | 2902 30 00 | Catégorie 3 |           | Annexe I |

### 15.1.2. National regulations

| France                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Occupational diseases |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Code                  | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| RG 4 BIS              | Gastrointestinal disorders caused by benzene, toluene, xylenes and all products containing them                                                                                                                                                                                                                                                                                                                                                                                           |
| RG 49                 | Skin disorders caused by aliphatic, alicyclic amines or ethanolamines                                                                                                                                                                                                                                                                                                                                                                                                                     |
| RG 49 BIS             | Respiratory disorders caused by aliphatic amines, ethanolamines or isophoronediamine                                                                                                                                                                                                                                                                                                                                                                                                      |
| RG 84                 | Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamide; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide |

### Germany

- Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)  
Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)  
List of sensitizing substances (TRGS 907) : Contains sensitizing substances according TRGS 907

### Netherlands

- ABM category : A(3) - hazardous for aquatic organisms, may have longterm hazardous effects in aquatic environment  
SZW-lijst van kankerverwekkende stoffen : None of the components are listed  
SZW-lijst van mutagene stoffen : None of the components are listed  
SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed  
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed  
SZW-lijst van reprotoxische stoffen – Ontwikkeling : xylene, toluene are listed

### Denmark

- Class for fire hazard : Class I-1

# BUILDING DECAPANT PEINTURE B

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|                             |                                                                                                                                                                                     |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Store unit                  | : 1 liter                                                                                                                                                                           |
| Classification remarks      | : F <Flam. Liq. 2>; Emergency management guidelines for the storage of flammable liquids must be followed                                                                           |
| Danish National Regulations | : Young people below the age of 18 years are not allowed to use the product<br>Pregnant/breastfeeding women working with the product must not be in direct contact with the product |
| <b>Switzerland</b>          |                                                                                                                                                                                     |
| Storage class (LK)          | : LK 3 - Flammable liquids                                                                                                                                                          |

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### SECTION 16: Other information

| Indication of changes |                                                           |          |          |
|-----------------------|-----------------------------------------------------------|----------|----------|
| Section               | Changed item                                              | Change   | Comments |
|                       | Supersedes                                                | Modified |          |
|                       | Revision date                                             | Modified |          |
|                       | Carriage permitted (ADN)                                  | Added    |          |
|                       | Properties and observations (IMDG)                        | Added    |          |
|                       | Stowage and handling (IMDG)                               | Added    |          |
|                       | UN-No. (RID)                                              | Modified |          |
|                       | Equipment required (ADN)                                  | Modified |          |
|                       | Danger labels (ADN)                                       | Modified |          |
|                       | Classification code (ADN)                                 | Modified |          |
|                       | Proper Shipping Name (RID)                                | Modified |          |
|                       | Hazard identification number (RID)                        | Modified |          |
|                       | Tank codes for RID tanks (RID)                            | Modified |          |
|                       | Portable tank and bulk container special provisions (RID) | Modified |          |
|                       | Portable tank and bulk container instructions (RID)       | Modified |          |
|                       | Packing instructions (RID)                                | Modified |          |
|                       | Special provisions (RID)                                  | Modified |          |
|                       | Classification code (RID)                                 | Modified |          |
|                       | ERG code (IATA)                                           | Modified |          |
|                       | Special provisions (IATA)                                 | Modified |          |
|                       | CAO max net quantity (IATA)                               | Modified |          |
|                       | CAO packing instructions (IATA)                           | Modified |          |
|                       | PCA max net quantity (IATA)                               | Modified |          |
|                       | PCA packing instructions (IATA)                           | Modified |          |
|                       | PCA limited quantity max net quantity (IATA)              | Modified |          |
|                       | PCA Limited quantities (IATA)                             | Modified |          |
|                       | Danger labels (IATA)                                      | Modified |          |
|                       | Proper Shipping Name (IATA)                               | Modified |          |

# BUILDING DECAPANT PEINTURE B

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Indication of changes |                                                           |          |          |
|-----------------------|-----------------------------------------------------------|----------|----------|
| Section               | Changed item                                              | Change   | Comments |
|                       | Proper Shipping Name (IMDG)                               | Modified |          |
|                       | Danger labels (IMDG)                                      | Modified |          |
|                       | EmS-No. (Spillage)                                        | Modified |          |
|                       | Tank special provisions (IMDG)                            | Modified |          |
|                       | Tank instructions (IMDG)                                  | Modified |          |
|                       | Tank code (ADR)                                           | Modified |          |
|                       | Portable tank and bulk container special provisions (ADR) | Modified |          |
|                       | Portable tank and bulk container instructions (ADR)       | Modified |          |
|                       | Packing instructions (ADR)                                | Modified |          |
| 2.2                   | Extra phrases                                             | Added    |          |
| 5.3                   | EAC code                                                  | Modified |          |
| 14.1                  | UN-No. (ADN)                                              | Modified |          |
| 14.1                  | UN-No. (IATA)                                             | Modified |          |
| 14.1                  | UN-No. (ADR)                                              | Modified |          |
| 14.1                  | UN-No. (IMDG)                                             | Modified |          |
| 14.2                  | Proper Shipping Name (ADN)                                | Modified |          |
| 14.2                  | Proper Shipping Name (ADR)                                | Modified |          |
| 14.3                  | Danger labels (RID)                                       | Modified |          |
| 14.3                  | Danger labels (ADR)                                       | Modified |          |
| 14.6                  | APP code                                                  | Added    |          |
| 14.6                  | Special provisions (ADN)                                  | Modified |          |
| 14.6                  | Special provisions (ADR)                                  | Modified |          |
| 14.6                  | Hazard identification number (Kemler No.)                 | Modified |          |
| 14.6                  | Classification code (ADR)                                 | Modified |          |
| 15.1                  | REACH Annex XVII                                          | Modified |          |

| Abbreviations and acronyms: |                                                                                                 |
|-----------------------------|-------------------------------------------------------------------------------------------------|
| ADN                         | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR                         | European Agreement concerning the International Carriage of Dangerous Goods by Road             |
| ATE                         | Acute Toxicity Estimate                                                                         |
| BCF                         | Bioconcentration factor                                                                         |
| BLV                         | Biological limit value                                                                          |
| BOD                         | Biochemical oxygen demand (BOD)                                                                 |
| COD                         | Chemical oxygen demand (COD)                                                                    |
| DMEL                        | Derived Minimal Effect level                                                                    |
| DNEL                        | Derived-No Effect Level                                                                         |
| EC-No.                      | European Community number                                                                       |

# BUILDING DECAPANT PEINTURE B

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Abbreviations and acronyms: |                                                                              |
|-----------------------------|------------------------------------------------------------------------------|
| EC50                        | Median effective concentration                                               |
| EN                          | European Standard                                                            |
| IARC                        | International Agency for Research on Cancer                                  |
| IATA                        | International Air Transport Association                                      |
| IMDG                        | International Maritime Dangerous Goods                                       |
| LC50                        | Median lethal concentration                                                  |
| LD50                        | Median lethal dose                                                           |
| LOAEL                       | Lowest Observed Adverse Effect Level                                         |
| NOAEC                       | No-Observed Adverse Effect Concentration                                     |
| NOAEL                       | No-Observed Adverse Effect Level                                             |
| NOEC                        | No-Observed Effect Concentration                                             |
| OECD                        | Organisation for Economic Co-operation and Development                       |
| OEL                         | Occupational Exposure Limit                                                  |
| PBT                         | Persistent Bioaccumulative Toxic                                             |
| PNEC                        | Predicted No-Effect Concentration                                            |
| RID                         | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS                         | Safety Data Sheet                                                            |
| STP                         | Sewage treatment plant                                                       |
| ThOD                        | Theoretical oxygen demand (ThOD)                                             |
| TLM                         | Median Tolerance Limit                                                       |
| VOC                         | Volatile Organic Compounds                                                   |
| CAS-No.                     | Chemical Abstract Service number                                             |
| N.O.S.                      | Not Otherwise Specified                                                      |
| vPvB                        | Very Persistent and Very Bioaccumulative                                     |
| ED                          | Endocrine disrupting properties                                              |

| Full text of H- and EUH-statements: |                                                                   |
|-------------------------------------|-------------------------------------------------------------------|
| Acute Tox. 3 (Dermal)               | Acute toxicity (dermal), Category 3                               |
| Acute Tox. 3 (Inhalation)           | Acute toxicity (inhal.), Category 3                               |
| Acute Tox. 3 (Oral)                 | Acute toxicity (oral), Category 3                                 |
| Acute Tox. 4 (Dermal)               | Acute toxicity (dermal), Category 4                               |
| Acute Tox. 4 (Inhalation)           | Acute toxicity (inhal.), Category 4                               |
| Acute Tox. 4 (Oral)                 | Acute toxicity (oral), Category 4                                 |
| Aquatic Chronic 3                   | Hazardous to the aquatic environment — Chronic Hazard, Category 3 |
| Asp. Tox. 1                         | Aspiration hazard, Category 1                                     |
| Eye Dam. 1                          | Serious eye damage/eye irritation, Category 1                     |
| Eye Irrit. 2                        | Serious eye damage/eye irritation, Category 2                     |
| Flam. Liq. 2                        | Flammable liquids, Category 2                                     |
| Flam. Liq. 3                        | Flammable liquids, Category 3                                     |

# BUILDING DECAPANT PEINTURE B

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Full text of H- and EUH-statements: |                                                                                            |
|-------------------------------------|--------------------------------------------------------------------------------------------|
| H225                                | Highly flammable liquid and vapour.                                                        |
| H226                                | Flammable liquid and vapour.                                                               |
| H301                                | Toxic if swallowed.                                                                        |
| H302                                | Harmful if swallowed.                                                                      |
| H304                                | May be fatal if swallowed and enters airways.                                              |
| H311                                | Toxic in contact with skin.                                                                |
| H312                                | Harmful in contact with skin.                                                              |
| H314                                | Causes severe skin burns and eye damage.                                                   |
| H315                                | Causes skin irritation.                                                                    |
| H318                                | Causes serious eye damage.                                                                 |
| H319                                | Causes serious eye irritation.                                                             |
| H331                                | Toxic if inhaled.                                                                          |
| H332                                | Harmful if inhaled.                                                                        |
| H335                                | May cause respiratory irritation.                                                          |
| H336                                | May cause drowsiness or dizziness.                                                         |
| H361d                               | Suspected of damaging the unborn child.                                                    |
| H370                                | Causes damage to organs.                                                                   |
| H371                                | May cause damage to organs.                                                                |
| H373                                | May cause damage to organs through prolonged or repeated exposure.                         |
| H412                                | Harmful to aquatic life with long lasting effects.                                         |
| Repr. 2                             | Reproductive toxicity, Category 2                                                          |
| Skin Corr. 1B                       | Skin corrosion/irritation, Category 1, Sub-Category 1B                                     |
| Skin Irrit. 2                       | Skin corrosion/irritation, Category 2                                                      |
| STOT RE 2                           | Specific target organ toxicity — Repeated exposure, Category 2                             |
| STOT SE 1                           | Specific target organ toxicity — single exposure, Category 1                               |
| STOT SE 2                           | Specific target organ toxicity — Single exposure, Category 2                               |
| STOT SE 3                           | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.