# SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

# SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

## 1.1. Product identifier

Product name : DETARNET DOSE Product code : 103344

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Cleaner and discaler. Professional use.

# 1.3. Details of the supplier of the safety data sheet

Registered company name : IPC. Address : 10 Quai Malbert.29200.BREST.FRANCE. Telephone : +33 (0)2 98 43 45 44. ipc@ipc-sa.com

## **1.4. Emergency telephone number : +33 (0)1 45 42 59 59.** Association/Organisation : INRS / ORFILA http://www.centres-antipoison.net.

# SECTION 2 : HAZARDS IDENTIFICATION

# 2.1. Classification of the substance or mixture

# In compliance with EC regulation No. 1272/2008 and its amendments.

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Eye irritation, Category 2 (Eye Irrit. 2, H319).

Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

# 2.2. Label elements

Detergent mixture (see section 15).

# In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS07	
Signal Word :	
WARNING	
Hazard statements :	
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.
Precautionary statements - Prevention	:
P264	Wash hands thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
Precautionary statements - Response :	
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332 + P313	If skin irritation occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.

# 2.3. Other hazards

In use, may form flammable/explosive dust-air mixture.

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC)  $\geq 0.1\%$  published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

# SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

# 3.2. Mixtures

<b>^</b>	nosition	
( Am	nasitian	٠

Composition :			
Identification	(EC) 1272/2008	Note	%
INDEX: 016-026-00-0	GHS07		$50 \le x \% \le 100$
CAS: 5329-14-6	Wng		
EC: 226-218-8	Eye Irrit. 2, H319		
REACH: 01-2119488633-28	Skin Irrit. 2, H315		
REACH. 01-2119408055-20			
	Aquatic Chronic 3, H412		
SULPHAMIDIC ACID			
INDEX: 011-005-00-2	GHS07		$10 \le x \% \le 25$
CAS: 497-19-8	Wng		
EC: 207-838-8	Eye Irrit. 2, H319		
REACH: 01-2119485498-19			
SODIUM CARBONATE			
INDEX: 15630 89 4A	GHS07, GHS05, GHS03		2.5 <= x % < 10
CAS: 15630-89-4	Dgr		210 11/0 10
EC: 239-707-6	Ox. Sol. 2, H272		
REACH: 01-2119457268-30	Acute Tox. 4, H302		
	Eye Dam. 1, H318		
SODIUM CARBONATE PEROXYHYDRATE			
INDEX: 25322_68_3		[1]	2.5 <= x % < 10
CAS: 25322-68-3			
POLYÉTHYLÈNEGLYCOL			
INDEX: 7631 86 9		[1]	0.1 <= x % < 1
CAS: 7631-86-9			0.1
EC: 231-545-4			
EC. 251-343-4			
SH ICON DIOVIDE			
SILICON DIOXIDE	CHICAG	F13	
INDEX: 18042_47_5	GHS08	[1]	0.1 <= x % < 1
CAS: 8042-47-5	Dgr		
EC: 232-455-8	Asp. Tox. 1, H304		
REACH: 01-2119487078-27			
WHITE MINERAL OIL, PETROLEUM			
INDEX: I127 91 3	GHS02, GHS07, GHS08, GHS09	[1]	$0 \le x \% < 0.1$
CAS: 127-91-3	Dgr	L-1	
EC: 204-872-5	Flam. Liq. 3, H226		
REACH: 01-2119519230-54	Asp. Tox. 1, H304		
KEACH. 01-2117517250-54	Skin Irrit. 2, H315		
BETA-PINENE	Skin Sens. 1B, H317		
	Aquatic Acute 1, H400		
	M Acute $= 1$		
	Aquatic Chronic 1, H410		
	M Chronic $= 1$		
INDEX: I601029007A	GHS02, GHS07, GHS08, GHS09	[1]	$0 \le x \% \le 0.1$
CAS: 5989-27-5	Dgr	L J	
EC: 227-813-5	Flam. Liq. 3, H226		
REACH: 01-2119529223-47	Asp. Tox. 1, H304		
	Skin Irrit. 2, H315		
DIMONENE			
D-LIMONENE	Skin Sens. 1B, H317		
	Aquatic Chronic 3, H412		
	Aquatic Acute 1, H400		
	M Acute = 1		

INDEX: 176_22_2	GHS02, GHS05, GHS07, GHS08, GHS09		[1]	$0 \le x \% < 0.1$
CAS: 76-22-2	Dgr			
EC: 200-945-0	228			
REACH: 01-2119966156-31	Acute Tox. 4, H302			
	Skin Irrit. 2, H315			
1,7,7-TRIMETHYLBICYCLO[2.2.1]HEPTAN-2	Eye Dam. 1, H318			
-ONE	Acute Tox. 4, H332			
	STOT SE 2, H371			
	Aquatic Chronic 2, H411			
INDEX: 180 56 8	GHS02, GHS07, GHS08, GHS09		[1]	$0 \le x \% \le 0.1$
CAS: 80-56-8	Dgr		[*]	0
EC: 201-291-9	Flam. Liq. 3, H226			
REACH: 01-2119519223-49	Acute Tox. 4, H302			
REACII: 01-2119519223-49	Asp. Tox. 1, H304			
ALPHA-PINENE	Skin Irrit. 2, H315			
ALPHA-PINEINE				
	Skin Sens. 1B, H317			
	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			
INDEX: 605-019-00-3	GHS07		[1]	$0 \le x \% \le 0.1$
CAS: 5392-40-5	Wng			
EC: 226-394-6	Skin Irrit. 2, H315			
	Skin Sens. 1, H317			
CITRAL				
INDEX: I13466 78 9	GHS02, GHS07, GHS08, GHS09		[1]	$0 \le x \% \le 0.1$
CAS: 13466-78-9	Dgr			-
EC: 236-719-3	Flam. Liq. 3, H226			
REACH: 01-2119520252-55	Asp. Tox. 1, H304			
NERION: 01 211/320232 33	Skin Irrit. 2, H315			
DELTA-3-CARENE	Skin Sens. 1, H317			
DELIA-3-CARENE				
	Acute Tox. 4, H332			
NIDEY, 1129, 27, 0	Aquatic Chronic 2, H411		[1]	$0 \le x \% < 0.1$
INDEX: I128_37_0	GHS09		[1]	0 < -x > 0 < 0.1
CAS: 128-37-0	Wng			
EC: 204-881-4	Aquatic Acute 1, H400			
REACH: 01-2119480433-40	M Acute $= 1$			
	Aquatic Chronic 1, H410			
BUTYLATED HYDROXYTOLUENE	M Chronic = 1			
Specific concentration limits:				
Identification	Specific concentration limits	ATE		
INDEX: 15630 89 4A	Eye Dam. 1: H318 $C \ge 25\%$		E = 1034  mg/kg	BW
CAS: 15630-89-4	Eye Irrit. 2: H319 7.5% <= C < 25%		Kg	,
EC: 239-707-6	-250 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570   - 0 - 2570			
REACH: 01-2119457268-30				
NEACH, 01-21174J/200-30				
SODUM CARDONATE REPOVULIVER ATE				
SODIUM CARBONATE PEROXYHYDRATE	(TOT OF 2 (L-1) U271 O 100/	. 1 400	R = 1500 "	DW
INDEX: 176_22_2	STOT SE 2 (Inh) : H371 C>= 10%	oral: All	E = 1500 mg/kg	ВW
CAS: 76-22-2				
EC: 200-945-0				
REACH: 01-2119966156-31				
1,7,7-TRIMETHYLBICYCLO[2.2.1]HEPTAN-2	2			
-ONE				
INDEX: I13466_78_9		inhalatio	n: ATE = 1.5 m	g/l 4h
CAS: 13466-78-9		(dust/mis		-
EC: 236-719-3			E = 4800  mg/kg	BW
REACH: 01-2119520252-55				•
DELTA-3-CARENE				
	1	1		

# Information on ingredients :

(Full text of H-phrases: see section 16)

[1] Substance for which maximum workplace exposure limits are available.

# **SECTION 4 : FIRST AID MEASURES** As a general rule, in case of doubt or if symptoms persist, always call a doctor. NEVER induce swallowing by an unconscious person. 4.1. description of first aid measures In the event of exposure by inhalation : In the event of massive inhalation, remove the person to fresh air and keep warm and at rest. In the event of splashes or contact with eyes : Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open. If there is any redness, pain or visual impairment, consult an ophthalmologist. In the event of splashes or contact with skin : Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner. Watch out for any remaining product between skin and clothing, watches, shoes, etc. If the contaminated aera is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital. In the event of swallowing : Do not give the patient anything orally. In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor. Seek medical attention immediately, showing the label. Keep at rest. Do not induce vomiting. 4.2. Most important symptoms and effects, both acute and delayed No data available. 4.3. Indication of any immediate medical attention and special treatment needed No data available. SECTION 5 : FIREFIGHTING MEASURES Non-flammable. 5.1. Extinguishing media Suitable methods of extinction In the event of a fire, use : - sprayed water or water mist - foam - powder - carbon dioxide (CO2) Unsuitable methods of extinction In the event of a fire, do not use :

- water jet

#### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO2)
- sulphur dioxide (SO2)

#### 5.3. Advice for firefighters

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

# SECTION 6 : ACCIDENTAL RELEASE MEASURES

## 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For non first aid worker

Avoid any contact with the skin and eyes. Avoid dust inhalation. First aid workers will be equipped with suitable personal protective equipment (See section 8).

For first aid worker

6.2. Environmental precautions

## DETARNET DOSE

.3. Methods and		g drains or water	ways.			
	material for con	tainment and cl	eaning up			
Retrieve the prod				).		
.4. Reference to o			8 8	,		
No data available						
CTION 7 : HAN	DLING AND ST	ORAGE				
Requirements rel	ating to storage p	premises apply to	all facilities w	here the mixture	is handled.	
1.1. Precautions for	or safe handling					
Always wash har	nds after handling	ç.				
Remove and was	h contaminated c	lothing before re	-using.			
Fire prevention :						
Prevent access by	y unauthorised pe	ersonnel.				
Recommended eq	uipment and pro	cedures :				
For personal prot						
Observe precauti			trial safety reg	ulations.		
Avoid skin and e			5 8			
Prohibited equipm	-					
No smoking, eati	-		mixture is used	d		
<b>.2. Conditions for</b>						
	0	iciuding any inc	ompationities			
Keep out of reach	n of children.					
torage						
Recommended st	orage temperatur	$e: + 0^{\circ}C$ to $+ 40^{\circ}$	Ċ			
Packaging						
Always keep in p		f an identical ma	terial to the or	iginal.		
.3. Specific end u	ise(s)	f an identical ma	terial to the or	iginal.		
	ise(s)	f an identical ma	terial to the or	iginal.		
<b>.3. Specific end u</b> No data available	ise(s)			-		
<b>.3. Specific end u</b> No data available	ise(s) e. DSURE CONTR			-		
<b>.3. Specific end u</b> No data available CTION 8 : EXPO 3.1. Control para	ise(s) e. DSURE CONTR meters			-		
<b>.3. Specific end u</b> No data available CTION 8 : EXPO 3.1. Control paran Occupational expo	ise(s) 2. DSURE CONTR neters osure limits :	OLS/PERSON	AL PROTECT	-		
<ul> <li>3. Specific end u No data available</li> <li>CTION 8 : EXPO</li> <li>3.1. Control paran</li> <li>Ccupational expo</li> <li>- Germany - AGV</li> </ul>	ise(s) c. DSURE CONTR neters osure limits : W (BAuA - TRGS	OLS/PERSON 5 900, 08/08/201	<b>AL PROTEC</b> 9) :	ΓΙΟΝ	1	
<ul> <li>3. Specific end u No data available</li> <li>CTION 8 : EXPO</li> <li>3.1. Control paran</li> <li>Decupational expo</li> <li>- Germany - AGV</li> <li>CAS</li> </ul>	ise(s) 2. DSURE CONTR neters osure limits :	OLS/PERSON	AL PROTECT	TION		
<ul> <li>3. Specific end u No data available</li> <li>CTION 8 : EXPO</li> <li>3.1. Control paran</li> <li>Ccupational expo</li> <li>- Germany - AGV</li> </ul>	ise(s) c. DSURE CONTR neters osure limits : W (BAuA - TRGS	S 900, 08/08/201 VME : 200 E mg/m <sup>3</sup> 4E mg/m <sup>3</sup>	<b>AL PROTEC</b> 9) :	TION Notes 8(II)		
<b>CTION 8 : EXPO</b> <b>CTION 8 : EXPO</b> <b>CTION 8 : EXPO</b> <b>COLOMIC ON CONTROL PARA</b> <b>CONTROL PARA</b> <b>CAS</b> <b>25322-68-3</b> <b>7631-86-9</b> <b>8042-47-5</b>	ise(s) c. DSURE CONTR neters osure limits : W (BAuA - TRGS	COLS/PERSON 5 900, 08/08/201 VME : 200 E mg/m <sup>3</sup> 4E mg/m <sup>3</sup> 5A mg/m <sup>3</sup>	<b>AL PROTEC</b> 9) :	Notes           8(II)           4(II)		
<b>CTION 8 : EXPO</b> <b>CTION 8 : EXPO</b> <b>CTION 8 : EXPO</b> <b>COLOMICATION</b> - Germany - AGV CAS 25322-68-3 7631-86-9	ise(s) c. DSURE CONTR neters osure limits : W (BAuA - TRGS	COLS/PERSON 5 900, 08/08/201 VME : 200 E mg/m <sup>3</sup> 4E mg/m <sup>3</sup> 5 A mg/m <sup>3</sup> 5 ppm	<b>AL PROTEC</b> 9) :	TION Notes 8(II)		
<b>CTION 8 : EXPO</b> <b>CTION 8 : EXPO</b> <b>CTION 8 : EXPO</b> <b>Control paran</b> <b>Occupational expo</b> - Germany - AGV CAS 25322-68-3 7631-86-9 8042-47-5 5989-27-5	ise(s) c. DSURE CONTR neters osure limits : W (BAuA - TRGS	COLS/PERSON 5 900, 08/08/201 VME : 200 E mg/m <sup>3</sup> 4E mg/m <sup>3</sup> 5A mg/m <sup>3</sup> 5 ppm 28 mg/m <sup>3</sup>	<b>AL PROTEC</b> 9) :	Notes           8(II)           4(II)           4(II)		
<b>CTION 8 : EXPO</b> <b>CTION 8 : EXPO</b> <b>CTION 8 : EXPO</b> <b>CTION 8 : EXPO</b> <b>COLOMIC 1 : EXPO</b> <b>COLOMIC 1 : EXPO</b> <b>COLOMIC 1 : EXPO</b> <b>CAS</b> <b>25322-68-3</b> <b>7631-86-9</b> <b>8042-47-5</b> <b>5989-27-5</b> <b>128-37-0</b>	use(s) 2. DSURE CONTR meters osure limits : V (BAUA - TRGS VME : UME :	COLS/PERSON 5 900, 08/08/201 VME : 200 E mg/m <sup>3</sup> 4E mg/m <sup>3</sup> 5A mg/m <sup>3</sup> 5 ppm 28 mg/m <sup>3</sup> 10 E mg/m <sup>3</sup>	<b>AL PROTEC</b> 9) :	Notes           8(II)           4(II)		
<b>CTION 8 : EXPO</b> <b>CTION 8 : EXPO</b> <b>CTION 8 : EXPO</b> <b>CAS</b> <b>25322-68-3</b> <b>7631-86-9</b> <b>8042-47-5</b> <b>5989-27-5</b> <b>128-37-0</b> <b>- Belgium (Arrête</b>	ise(s) 2. DSURE CONTR meters osure limits : W (BAuA - TRGS VME : VME : 6 du 19/11/2020)	COLS/PERSON 5 900, 08/08/201 VME : 200 E mg/m <sup>3</sup> 4E mg/m <sup>3</sup> 5A mg/m <sup>3</sup> 5 ppm 28 mg/m <sup>3</sup> 10 E mg/m <sup>3</sup> :	AL PROTEC 9) : Excess	Notes           8(II)           4(II)           4(II)           4(II)	Criteria :	
<b>CTION 8 : EXPO</b> <b>CTION 8 : EXPO</b> <b>CTION 8 : EXPO</b> <b>CTION 8 : EXPO</b> <b>COLOMIC 1 : EXPO</b> <b>COLOMIC 1 : EXPO</b> <b>COLOMIC 1 : EXPO</b> <b>CAS</b> <b>25322-68-3</b> <b>7631-86-9</b> <b>8042-47-5</b> <b>5989-27-5</b> <b>128-37-0</b>	use(s) 2. DSURE CONTR meters osure limits : V (BAUA - TRGS VME : UME :	COLS/PERSON 5 900, 08/08/201 VME : 200 E mg/m <sup>3</sup> 5A mg/m <sup>3</sup> 5 ppm 28 mg/m <sup>3</sup> 10 E mg/m <sup>3</sup> : STEL :	<b>AL PROTEC</b> 9) :	Notes           8(II)           4(II)           4(II)	Criteria :	
<ul> <li><b>3. Specific end u</b> No data available</li> <li><b>CTION 8 : EXPO</b></li> <li><b>CTION 8 : EXPO</b></li> <li><b>CONTROL PARAT</b></li> <li><b>CONTROL PARAT</b></li> <li><b>CAS</b></li> <li><b>25322-68-3</b></li> <li><b>7631-86-9</b></li> <li><b>8042-47-5</b></li> <li><b>5989-27-5</b></li> <li><b>128-37-0</b></li> <li><b>Belgium (Arrête</b></li> <li><b>CAS</b></li> </ul>	ise(s) 2. DSURE CONTR meters osure limits : W (BAuA - TRGS VME : VME : 6 du 19/11/2020) TWA : 20 ppm 2 ppm	COLS/PERSON 5 900, 08/08/201 VME : 200 E mg/m <sup>3</sup> 5 A mg/m <sup>3</sup> 5 ppm 28 mg/m <sup>3</sup> 10 E mg/m <sup>3</sup> : STEL : 3 ppm	AL PROTEC 9) : Excess	Notes           8(II)           4(II)           4(II)           4(II)	Criteria :	
<b>CTION 8 : EXPO</b> <b>CTION 8 : EXPO</b> <b>CTION 8 : EXPO</b> <b>3.1. Control paran</b> <b>Decupational expo</b> - Germany - AGV CAS 25322-68-3 7631-86-9 8042-47-5 5989-27-5 128-37-0 - Belgium (Arrête CAS 127-91-3 76-22-2	Ise(s) 2. DSURE CONTR meters osure limits : W (BAuA - TRGS VME : VME : 6 du 19/11/2020) TWA : 20 ppm 2 ppm 12 mg/m <sup>3</sup>	COLS/PERSON 5 900, 08/08/201 VME : 200 E mg/m <sup>3</sup> 5A mg/m <sup>3</sup> 5 ppm 28 mg/m <sup>3</sup> 10 E mg/m <sup>3</sup> : STEL :	AL PROTEC 9) : Excess	Notes           8(II)           4(II)           4(II)           4(II)	Criteria :	
<b>CTION 8 : EXPO</b> <b>CTION 8 : EXPO</b> <b>CTION 8 : EXPO</b> <b>CTION 8 : EXPO</b> <b>CAS</b> <b>25322-68-3</b> <b>7631-86-9</b> <b>8042-47-5</b> <b>5989-27-5</b> <b>128-37-0</b> - Belgium (Arrête <b>CAS</b> <b>127-91-3</b> <b>76-22-2</b> <b>80-56-8</b>	se(s) 2. DSURE CONTR meters osure limits : W (BAUA - TRGS VME : VME : 6 4 20 ppm 12 mg/m <sup>3</sup> 20 ppm	COLS/PERSON 5 900, 08/08/201 VME : 200 E mg/m <sup>3</sup> 5 A mg/m <sup>3</sup> 5 ppm 28 mg/m <sup>3</sup> 10 E mg/m <sup>3</sup> : STEL : 3 ppm	AL PROTEC 9) : Excess	Notes           8(II)           4(II)           4(II)           Image: state	Criteria :	
<b>CTION 8 : EXPO</b> <b>CTION 8 : EXPO</b> <b>CTION 8 : EXPO</b> <b>3.1. Control paran</b> <b>Decupational expo</b> - Germany - AGV CAS 25322-68-3 7631-86-9 8042-47-5 5989-27-5 128-37-0 - Belgium (Arrête CAS 127-91-3 76-22-2	se(s) 2. DSURE CONTR meters osure limits : W (BAUA - TRGS VME : VME : 20 ppm 12 mg/m <sup>3</sup> 20 ppm 5 ppm	COLS/PERSON 5 900, 08/08/201 VME : 200 E mg/m <sup>3</sup> 5 A mg/m <sup>3</sup> 5 ppm 28 mg/m <sup>3</sup> 10 E mg/m <sup>3</sup> : STEL : 3 ppm	AL PROTEC 9) : Excess	Notes           8(II)           4(II)           4(II)           4(II)	Criteria :	
<b>CTION 8 : EXPO</b> <b>CTION 8 : EXPO</b> <b>CTION 8 : EXPO</b> <b>CTION 8 : EXPO</b> <b>CAS</b> <b>25322-68-3</b> <b>7631-86-9</b> <b>8042-47-5</b> <b>5989-27-5</b> <b>128-37-0</b> - Belgium (Arrête <b>CAS</b> <b>127-91-3</b> <b>76-22-2</b> <b>80-56-8</b>	se(s) 2. DSURE CONTR meters osure limits : W (BAUA - TRGS VME : VME : 6 4 20 ppm 12 mg/m <sup>3</sup> 20 ppm	COLS/PERSON 5 900, 08/08/201 VME : 200 E mg/m <sup>3</sup> 5 A mg/m <sup>3</sup> 5 ppm 28 mg/m <sup>3</sup> 10 E mg/m <sup>3</sup> : STEL : 3 ppm	AL PROTEC 9) : Excess	Notes           8(II)           4(II)           4(II)           Image: state	Criteria :	
<b>CTION 8 : EXPO</b> <b>CTION 8 : EXPO</b> <b>CTION 8 : EXPO</b> <b>CTION 8 : EXPO</b> <b>CAS</b> <b>25322-68-3</b> <b>7631-86-9</b> <b>8042-47-5</b> <b>5989-27-5</b> <b>128-37-0</b> - Belgium (Arrête <b>CAS</b> <b>127-91-3</b> <b>76-22-2</b> <b>80-56-8</b> <b>5392-40-5</b>	Ise(s) 2. DSURE CONTR meters osure limits : W (BAuA - TRGS VME : VME : 20 ppm 12 mg/m <sup>3</sup> 20 ppm 32 mg/m <sup>3</sup>	COLS/PERSON 5 900, 08/08/201 VME : 200 E mg/m <sup>3</sup> 5 A mg/m <sup>3</sup> 5 ppm 28 mg/m <sup>3</sup> 10 E mg/m <sup>3</sup> : STEL : 3 ppm	AL PROTEC 9) : Excess	Notes           8(II)           4(II)           4(II)           Image: state	Criteria :	
<b>CTION 8 : EXPO</b> <b>CTION 8 : EXPO</b> <b>CTION 8 : EXPO</b> <b>CTION 8 : EXPO</b> <b>CAS</b> <b>25322-68-3</b> <b>7631-86-9</b> <b>8042-47-5</b> <b>5989-27-5</b> <b>128-37-0</b> - Belgium (Arrête <b>CAS</b> <b>127-91-3</b> <b>76-22-2</b> <b>80-56-8</b> <b>5392-40-5</b> <b>13466-78-9</b>	se(s) 2. DSURE CONTR neters osure limits : W (BAuA - TRGS VME : VME : 20 ppm 2 ppm 12 mg/m <sup>3</sup> 20 ppm 32 mg/m <sup>3</sup> 20 ppm 2 mg/m <sup>3</sup>	OLS/PERSON 5 900, 08/08/201 VME : 200 E mg/m <sup>3</sup> 5 A mg/m <sup>3</sup> 5 ppm 28 mg/m <sup>3</sup> 10 E mg/m <sup>3</sup> : STEL : 3 ppm 19 mg/m <sup>3</sup> - -	AL PROTECT	Notes           8(II)           4(II)           4(II)           Image: state		

128-37-0	-	10	-	-	-
- Switzerland (SU	VAPRO 2019) :				
CAS	VME	VLE	Valeur plafond	Notations	7
25322-68-3	500 ppm				
7631-86-9	4 ppm				
8042-47-5	5 ppm				
5989-27-5	7 ppm	14 ppm			
	40 mg/m <sup>3</sup>	80 mg/m <sup>3</sup>			
76-22-2	2 ppm				
	13 mg/m <sup>3</sup>				
128-37-0	10 ppm	40 ppm			
- UK / WEL (Wo	rkplace exposure	limits, EH40/2	005, Fourth Editi	on 2020) :	
CAS	TWA:	STEL :	Ceiling :	Definition :	Criteria :
76-22-2	2 ppm	3 ppm			
	13 mg/m3	19 mg/m3			
128-37-0	10 mg/m <sup>3</sup>				

# Derived no effect level (DNEL) or derived minimum effect level (DMEL):

SODIUM CARBONATE PEROXYHYDRATE (CAS: 15630-89-4)

Final use: Exposure method: Potential health effects: DNEL :

Exposure method: Potential health effects: DNEL :

## Final use:

. . . . . . .

Exposure method: Potential health effects: DNEL :

#### SULPHAMIDIC ACID (CAS: 5329-14-6)

Final use: Exposure method: Potential health effects: DNEL :

#### Final use:

Exposure method: Potential health effects: DNEL :

## Predicted no effect concentration (PNEC):

SODIUM CARBONATE PEROXYHYDRATE (CAS: 15630-89-4) Environmental compartment: Fresh water. PNEC : 0.035 mg/l

Environmental compartment: PNEC :

Environmental compartment: PNEC :

Waste water treatment plant. 16.24 mg/l

0.35 mg/l

Intermittent waste water.

SULPHAMIDIC ACID (CAS: 5329-14-6) Environmental compartment: PNEC :

Soil. 0.00638 mg/kg

Workers. Dermal contact. Short term local effects. 12.8 mg of substance/cm2

Inhalation. Long term local effects. 5 mg of substance/m3

Consumers.

Dermal contact. Short term local effects. 6.4 mg of substance/cm2

#### Workers.

Dermal contact. Long term systemic effects. 10 mg/kg body weight/day

# Consumers.

Dermal contact. Long term systemic effects. 5 mg/kg body weight/day

Environmental compartment:	Fresh water.
PNEC :	0.048 mg/l
Environmental compartment:	Sea water.
PNEC :	0.0048 mg/l
Environmental compartment:	Fresh water sediment.
PNEC :	0.173 mg/kg
Environmental compartment:	Marine sediment.
PNEC :	0.0173 mg/kg
Environmental compartment:	Waste water treatment plant.
PNEC :	2 mg/l

## 8.2. Exposure controls

#### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

## - Eye / face protection

Avoid contact with eyes.

Before handling powders or dust emission, wear mask goggles in accordance with standard EN166.

Prescription glasses are not considered as protection.

Provide eyewash stations in facilities where the product is handled constantly.

#### - Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

## - Body protection

Avoid skin contact.

Wear suitable protective clothing.

These clothes shall be chosen to ensure there is no inflammation or irritation of the skin at the neck and wrist by contact with the powder Suitable type of protective clothing :

Wear protective clothing against solid chemicals and particles suspended in the air (type 5) in accordance with standard EN13982-1/A1 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

## - Respiratory protection

Avoid inhaling dust.

Type of FFP mask :

Wear a disposable half-mask dust filter in accordance with standard EN149/A1.

# SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties	
Physical state	
Physical state :	Solid.
Tablet	
Colour	
White	
Odour	
Odour threshold :	Not stated.
Mint	

Melting point	
Melting point/melting range :	Not specified.
Freezing point	-
Freezing point / Freezing range :	Not stated.
Boiling point or initial boiling point and boiling range	
Boiling point/boiling range :	Not specified.
Flammability	
Flammability (solid, gas) :	Not stated.
Lower and upper explosion limit	
Explosive properties, lower explosivity limit (%) :	Not stated.
Explosive properties, upper explosivity limit (%) :	Not stated.
Flash point	
Flash point interval :	Not relevant.
Auto-ignition temperature	
Self-ignition temperature :	Not specified.
Decomposition temperature	
Decomposition point/decomposition range :	Not specified.
pH	
pH :	Not relevant.
pH (aqueous solution) :	2.5 à 1%
Kinematic viscosity	
Viscosity :	Not stated.
Solubility	
Water solubility :	Soluble.
Fat solubility :	Not stated.
Partition coefficient n-octanol/water (log value)	
Partition coefficient: n-octanol/water :	Not stated.
Vapour pressure	
Vapour pressure (50°C) :	Not relevant.
Density and/or relative density	
Density :	Not stated.
Relative vapour density	
Vapour density :	Not stated.
9.2. Other information	
No data available.	
9.2.1. Information with regard to physical hazard classe	es
No data available.	
9.2.2. Other safety characteristics	
No data available.	
ECTION 10 : STABILITY AND REACTIVITY	
10.1. Reactivity	
No data available.	
10.2. Chemical stability	
This mixture is stable under the recommended handling a	and storage conditions in section 7
10.3. Possibility of hazardous reactions	
No data available.	
10.4. Conditions to avoid	
Avoid :	
- formation of dusts	
<ul><li> formation of dusts</li><li> humidity</li></ul>	

## 10.5. Incompatible materials

Keep away from :

- bases

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO2)

- sulphur dioxide (SO2)

# SECTION 11 : TOXICOLOGICAL INFORMATION

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days.

## 11.1.1. Substances

#### Acute toxicity :

DELTA-3-CARENE (CAS: 13466-78-9) Oral route :	LD50 = 4800 mg/kg
Inhalation route (Dusts/mist) :	LC50 = 1.5 mg/l Duration of exposure : 4 h
1,7,7-TRIMETHYLBICYCLO[2.2.1]HEPTAN-2- Oral route :	ONE (CAS: 76-22-2) LD50 = 1500 mg/kg
SODIUM CARBONATE PEROXYHYDRATE (C Oral route :	AS: 15630-89-4) LD50 = 1034 mg/kg Species : Rat
Dermal route :	LD50 > 2000 mg/kg Species : Rabbit

## 11.1.2. Mixture

No toxicological data available for the mixture.

#### 11.2. Information on other hazards

#### Monograph(s) from the IARC (International Agency for Research on Cancer) :

CAS 97-53-0 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

CAS 128-37-0 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

CAS 123-35-3 : IARC Group 2B : The agent is possibly carcinogenic to humans.

CAS 5989-27-5 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

CAS 7631-86-9 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

# SECTION 12 : ECOLOGICAL INFORMATION

Harmful to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

# 12.1. Toxicity

## 12.1.1. Substances

SODIUM CARBONATE PEROX	(YHYDRATE (CAS: 15630-89-4)
Fish toxicity :	LC50 = 70.7  mg/l
	Species : Pimephales promelas
	Duration of exposure : 96 h

Crustacean toxicity :	EC50 = 4.9  mg/l
	Species : Daphnia magna
	Duration of exposure : 48 h

Aquatic plant toxicity :

ECr50 = 2.62 mg/l Species : Others Duration of exposure : 72 h

#### 12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

#### 12.2. Persistence and degradability

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of Member States and will be provided with their request or at the request of a detergent manufacturer.

#### 12.3. Bioaccumulative potential

No data available.

## 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Endocrine disrupting properties

No data available.

## 12.7. Other adverse effects

No data available.

# SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### Soiled packaging :

Empty container completely. Keep label(s) on container. Give to a certified disposal contractor.

# **SECTION 14 : TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

## 14.1. UN number or ID number

14.2. UN proper shipping name

# 14.3. Transport hazard class(es)

- -
- 14.4. Packing group
- -
- 14.5. Environmental hazards
- -
- 14.6. Special precautions for user

**SECTION 15: Regulatory information** 

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## - Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No 1272/2008 amended and its amendments EU . (ATP)

# - Container information:

No data available.

#### - Particular provisions :

No data available.

#### - Labelling for detergents (EC Regulation No. 648/2004,907/2006) :

- less than 5 % : anionic surfactants
- 5 % or over but less than 15 % : oxygenbased bleaching agents
- perfumes
- allergenic fragrances :

d-limonene

## 15.2. Chemical safety assessment

No data available.

# **SECTION 16 : OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Changes from the previous version :

- Section 1
- Section 2
- Section 3

#### Wording of the phrases mentioned in section 3 :

H226	Flammable liquid and vapour.
H228	Flammable solid.
H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H371	May cause damage to organs .
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

## Abbreviations :

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.

LC50 : The concentration of a test substance resulting in 50% lethality in a given period.

EC50 : The effective concentration of substance that causes 50% of the maximum response.

ECr50 : The effective concentration of substance that causes 50% reduction in growth rate.

REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE : Acute Toxicity Estimate

BW : Body Weight

DNEL : Derived No-Effect Level

PNEC : Predicted No-Effect Concentration

UFI : Unique formulation identifier.

STEL : Short-term exposure limit

TWA : Time Weighted Averages

TMP : French Occupational Illness table

TLV : Threshold Limit Value (exposure)

AEV : Average Exposure Value.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS07 : Exclamation mark

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.