Printing date 19.05.2022 Version number 6 Revision: 19.05.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: IPC 50 AA aérosol

· Article number:

30775

1.2 Relevant identified uses of the substance or mixture and uses advised against

· Application of the substance / the

Application of the substance / the mixture

Lubricant

Cleaning agent/ Cleaner

Penetrating fluid

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

10 Quai Malbert, 29200, BREST, FRANCE.

No further relevant information available.

Tel.: +33 (0)2 98 43 45 44. Fax: +33 (0)2 98 44 22 53

ipc@groupe-ipc.com

1.4 Emergency telephone

number: Poison Control Centre: 0845 4647

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aerosol 2 H223-H229 Flammable aerosol. Pressurised container: May burst if heated.

- · 2.2 Label elements
- · Labelling according to Regulation

(EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



GHS02

· Signal word

Warning

· *Hazard statements* H223-H229 Flammable aerosol. Pressurised container: May burst if

heated.

· *Precautionary statements* P210 Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures

exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with local/

regional/national/international regulations.

(Contd. on page 2)

Printing date 19.05.2022 Version number 6 Revision: 19.05.2022

Trade name: IPC 50 AA aérosol

(Contd. of page 1)

2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.*vPvB:* Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· **Description:** Active substance with propellant

Dangerous components:		
	Dipropylene glycol monomethyl ether	50-100%
EINECS: 252-104-2	substance with a Community workplace exposure limit	
Reg.nr.: 01-2119450011-60		
CAS: 124-38-9	carbon dioxide	2.5-5%
EINECS: 204-696-9	♦ Press. Gas (Liq.), H280	
Reg.nr.: Note 1	•	

Additional information: Note P

Note 1: Listed in Annex IV / V UK REACH, exempted from registration

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

• **General information:** Seek immediate medical advice.

Immediately remove any clothing soiled by the product.
 After inhalation: Supply fresh air; consult doctor in case of complaints.
 After skin contact: Wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water. • After swallowing: Do not induce vomiting; call for medical help immediately.

Symptoms of poisoning may even occur after several hours; therefore

medical observation for at least 48 hours after the accident.

4.2 Most important symptoms and effects, both acute and

delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special

treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

Foam

Fire-extinguishing powder

Carbon dioxide

For safety reasons unsuitable extinguishing agents:

Water with full jet

(Contd. on page 3)

Printing date 19.05.2022 Version number 6 Revision: 19.05.2022

Trade name: IPC 50 AA aérosol

(Contd. of page 2)

5.2 Special hazards arising from

the substance or mixture Heat (or fire) will increase pressure and may lead to the receptacle

bursting.

Formation of toxic gases is possible during heating or in case of fire.

Carbon monoxide and carbon dioxide

Hydrocarbon compounds.

5.3 Advice for firefighters

• **Protective equipment:** Wear self-contained respiratory protective device.

Wear fully protective suit.

• Additional information Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in

accordance with official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Particular danger of slipping on leaked/spilled product.

Remove and rinse with water Keep away from ignition sources.

6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or

sewage system.

Do not allow aerosol cans to reach sewage system or any water course.

6.3 Methods and material for

containment and cleaning up: Ensure adequate ventilation.

Send for recovery or disposal in suitable receptacles.

• 6.4 Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe

handling Keep away from heat and direct sunlight.

Use only in well ventilated areas. Do not breathe vapors or spray mist.

Avoid contact with skin, eyes and clothing.

· Information about fire - and

explosion protection: Pressurised container: protect from sunlight and do not expose to

temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn,

even after use.

Keep ignition sources away - Do not smoke.

Do not spray onto a naked flame or any incandescent material.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by

storerooms and receptacles: Observe official regulations on storing packagings with pressurised

containers.

Information about storage in one

common storage facility: Do not store together with oxidising and acidic materials.

(Contd. on page 4)

Printing date 19.05.2022 Version number 6 Revision: 19.05.2022

Trade name: IPC 50 AA aérosol

(Contd. of page 3)

· Further information about storage

conditions: Store in cool, dry conditions.
7.3 Specific end use(s) www.degrippantvegetal.com

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

34590-94-8 Dipropylene glycol monomethyl ether

WEL Long-term value: 308 mg/m³, 50 ppm Sk

124-38-9 carbon dioxide

WEL Short-term value: 27400 mg/m³, 15000 ppm Long-term value: 9150 mg/m³, 5000 ppm

· DNELs

34590-94-8 Dipropylene glycol monomethyl ether

Dermal Long term systemic effects 65 mg/kg (Travailleurs / Workers)
Inhalative Long term systemic effects 308 mg/m³ (Travailleurs / Workers)

· PNECs

34590-94-8 Dipropylene glycol monomethyl ether

PNEC - Fresh water	19 mg/l
PNEC - Marine water	19 mg/l 1.9 mg/l 190 mg/l
PNEC - eau (dégagement intermitent)	190 mg/l
PNEC - Effects on waste water treatment plants	4,168 mg/l
PNEC - Soil	2.74 mg/kg 70.2 mg/kg 7.02 mg/kg
PNEC - Fresh water sediment	70.2 mg/kg
PNEC - Marine sediment	7.02 mg/kg

· Additional information:

The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- · General protective and hygienic

measures:

The usual precautionary measures are to be adhered to when handling

chemicals.

Immediately remove all soiled and contaminated clothing

Wash hands before drinking, eating or smoking.

Wearing of Personal Protective Equipment (PPE) required for all

persons with allergies.

• Respiratory protection: Use suitable respiratory protective device in case of insufficient

ventilation. Filter A/P2

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 5)

Printing date 19.05.2022 Version number 6 Revision: 19.05.2022

Trade name: IPC 50 AA aérosol

(Contd. of page 4)

· *Material of gloves* Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact breakthrough time of the glove material has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection

Safety glasses

· **Body protection:** Use protective suit.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

· General Information

Physical stateColour:Odour:Aerosol YellowLight

· Odour threshold: Not determined. · Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling

*range*Not applicable, as aerosol. *Flammability*Not applicable.

· Lower and upper explosion limit · Lower: 1.0 Vol %

· Upper: 6.0 Vol %

Flash point: Not applicable, as aerosol.Ignition temperature: > 230 °C

• Ignition temperature: > 230 °C
• Decomposition temperature: Not determined.
• pH Not determined.

· Viscosity:

• Kinematic viscosity at 40 °C 4 mm²/s (NF EN ISO 3104)

· **Dynamic:** Not determined.

· Solubility

• water: Partly miscible. • Partition coefficient n-octanol/water (log value) <3 log KOW

· Vapour pressure:

· Density and/or relative density

Density at 25 °C: 0.943 g/cm³ (NF EN ISO 12185)
Value of active product without gas.

Relative densityVapour densityNot determined.Not determined.

• **9.2 Other information** Physical and chemical properties of the active

ingredient without gas.

Not determined.

· Appearance:

Form: Aerosol

(Contd. on page 6)

Printing date 19.05.2022 Version number 6 Revision: 19.05.2022

Trade name: IPC 50 AA aérosol

(Contd. of page 5)

· Important information on protection of health and

environment, and on safety.

· Auto-ignition temperature: Not determined. Not determined. · Explosive properties: · Change in condition · Evaporation rate Not applicable.

· Information with regard to physical hazard classes

Void · Explosives · Flammable gases Void

· Aerosols Flammable aerosol. Pressurised container: May burst if

heated.

Combustion heat:

42 kJ/g Void

· Oxidising gases · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void

Substances and mixtures, which emit flammable

Void gases in contact with water · Oxidising liquids Void · Oxidising solids Void · Organic peroxides Void · Corrosive to metals Void · Desensitised explosives Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability Thermal decomposition /

conditions to be avoided: No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous reactions

None when normally used. · 10.4 Conditions to avoid Temperature > 50°C.

10.5 Incompatible materials: Metal aerosol cans: do not bring into contact with oxidants, acids or

alkalis.

· 10.6 Hazardous decomposition

products: No decomposition if used and stored according to specifications.

Printing date 19.05.2022 Version number 6 Revision: 19.05.2022

Trade name: IPC 50 AA aérosol

(Contd. of page 6)

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity
- LD/LC50 values relevant for classification:

34590-94-8 Dipropylene glycol monomethyl ether

LD50. 5,000 mg/kg (Rat) Oral Dermal LD50. 9,510 mg/kg (rab)

- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

34590-94-8 Dipropylene glycol monomethyl ether

Oral LC50/96 h >1,000 mg/l (Poecilia reticulata)

CL50 (48H) 1,919 mg/l (Daphnia)

· 12.2 Persistence and

degradability No further relevant information available. · 12.3 Bioaccumulative potential No further relevant information available. · 12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

12.6 Endocrine disrupting

properties The product does not contain substances with endocrine disrupting

properties.

· 12.7 Other adverse effects

· Additional ecological information:

· General notes: Do not allow product to reach ground water, water course or sewage

system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Send to an approved waste facility.

Do not allow product to reach sewage system or any water course.

Uncleaned packaging:

· Recommendation: Send to an approved waste facility.

Disposal must be made according to official regulations.

Do not pierce or burn, even after use.

Printing date 19.05.2022 Version number 6 Revision: 19.05.2022

Trade name : IPC 50 AA aérosol

(Contd. of page 7)

SECTION 14: Transport information	
· 14.1 UN number or ID number · ADR, IMDG, IATA	UN1950
· 14.2 UN proper shipping name · ADR · IMDG · IATA	UN1950 AEROSOLS AEROSOLS AEROSOLS, flammable
· 14.3 Transport hazard class(es)	
· ADR	
· Class · Label	2 5F Gases. 2.1
· IMDG, IATA	2.1
· Class · Label	2.1 Gases. 2.1
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Stowage Code · Segregation Code	Warning: Gases. F-D,S-U SW1 Protected from sources of heat. SW2 Clear of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litre Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2.
	For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
· 14.7 Maritime transport in bulk according IMO instruments	
· Transport/Additional information:	• •
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E0 Not permitted as Excepted Quantity
· Transport category	3 (Contd. on page

Printing date 19.05.2022 Version number 6 Revision: 19.05.2022

Trade name: IPC 50 AA aérosol

	(Contd. of page 8)
· Tunnel restriction code	Е
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E0 Not permitted as Excepted Quantity
· IIN "Model Regulation":	LIN 1950 AFROSOLS 2.1

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances -

ANNEX I None of the ingredients is listed.
Seveso category P3b FLAMMABLE AEROSOLS

Qualifying quantity (tonnes) for the

application of lower-tier

requirements 5.000 t

Qualifying quantity (tonnes) for the

application of upper-tier

requirements 50.000 t

- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Shelf-life: 24 months from the date it was manufactured.

• Relevant phrases H280 Contains gas under pressure; may explode if heated.

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route

(European Agreement Concerning the International Carriage of Dangerous Goods by

Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Aerosol 2: Aerosols - Category 2

(Contd. on page 10)

Page 10/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.05.2022 Version number 6 Revision: 19.05.2022

Trade name: IPC 50 AA aérosol

Press. Gas (Liq.): Gases under pressure – Liquefied gas

(Contd. of page 9)

* * Data compared to the previous version altered.

GB