

PROLINGE TABLETTES DESINFECTANTES

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : PROLINGE TABLETTES DESINFECTANTES
Product code : 104059

1.2. Relevant identified uses of the substance or mixture and uses advised against

Antibacterial washing tablets.
Professional use.

1.3. Details of the supplier of the safety data sheet

Registered company name : IPC.
Address : 10 Quai Malbert.29200.BREST.FRANCE.
Telephone : +33 (0)2 98 43 45 44. Fax : .
ipc@groupe-ip.com

1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation : INRS / ORFILA <http://www.centres-antipoison.net>.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Skin irritation, Category 2 (Skin Irrit. 2, H315).
Serious eye damage, Category 1 (Eye Dam. 1, H318).
Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).
This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

2.2. Label elements

Biocidal detergent mixture (see section 15).

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS05

Signal Word :

DANGER

Product identifiers :

EC 239-707-6	SODIUM CARBONATE PEROXYHYDRATE
EC 270-115-0	BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS
EC 932-106-6	ALCOHOLS C12-14, ETHOXYLATED
EC 215-687-4	SILICIC ACID, SODIUM SALT

Hazard statements :

H315	Causes skin irritation.
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements - Prevention :

P264	Wash hands thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.

Precautionary statements - Response :

P302 + P352	IF ON SKIN: Wash with plenty of water.
-------------	--

PROLINGE TABLETTES DESINFECTANTES

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER, a doctor.
P332 + P313 If skin irritation occurs: Get medical advice/attention.
Precautionary statements - Disposal :
P501 Dispose of contents/container in accordance with local / regional / national / international regulations.

2.3. Other hazards

In use, may form flammable/explosive dust-air mixture.

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) \geq 0.1% published by the European Chemicals Agency (ECHA) under article 57 of REACH: <http://echa.europa.eu/fr/candidate-list-table>

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances \geq 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :

Identification	(EC) 1272/2008	Note	%
INDEX: 011-005-00-2 CAS: 497-19-8 EC: 207-838-8 REACH: 01-2119485498-19	GHS07 Wng Eye Irrit. 2, H319		10 \leq x % < 20
SODIUM CARBONATE INDEX: 15630_89_4A CAS: 15630-89-4 EC: 239-707-6 REACH: 01-2119457268-30	GHS07, GHS05, GHS03 Dgr Ox. Sol. 2, H272 Acute Tox. 4, H302 Eye Dam. 1, H318		10 \leq x % < 20
SODIUM CARBONATE PEROXYHYDRATE INDEX: 68411_30_3 CAS: 68411-30-3 EC: 270-115-0	GHS07, GHS05 Dgr Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318		2.5 \leq x % < 10
BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS INDEX: 9004_34_6 CAS: 9004-34-6 EC: 232-674-9	Aquatic Chronic 3, H412	[1]	2.5 \leq x % < 10
POWDERED CELLULOSE INDEX: 1344_09_BC CAS: 1344-09-8 EC: 215-687-4 REACH: 01-2119448725-31	GHS07, GHS05 Dgr Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335		2.5 \leq x % < 10
SILICIC ACID, SODIUM SALT INDEX: 68439_50_9 CAS: 68439-50-9 EC: 932-106-6	GHS07, GHS05 Dgr Acute Tox. 4, H302 Eye Dam. 1, H318		2.5 \leq x % < 5
ALCOHOLS C12-14, ETHOXYLATED INDEX: 1344_09_8 CAS: 1344-09-8 EC: 215-687-4 REACH: 01-2119448725-31	GHS05 Dgr Skin Irrit. 2, H315 Eye Dam. 1, H318		2.5 \leq x % < 5
SILICIC ACID, SODIUM SALT			

PROLINGE TABLETTES DESINFECTANTES

INDEX: 85409_22_9 CAS: 85409-22-9 EC: 287-089-1 QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-14-ALKYLDIMETHYL, CHLORIDES	GHS07, GHS05, GHS09 Dgr Acute Tox. 4, H302 Skin Corr. 1B, H314 Aquatic Acute 1, H400 M Acute = 10 Aquatic Chronic 1, H410 M Chronic = 1		0 <= x % < 0.5
INDEX: I601029007A CAS: 5989-27-5 EC: 227-813-5 REACH: 01-2119529223-47 D-LIMONENE	GHS02, GHS07, GHS08, GHS09 Dgr Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 3, H412 Aquatic Acute 1, H400 M Acute = 1	[1]	0 <= x % < 0.05
INDEX: 9014_01_1 CAS: 9014-01-1 EC: 232-752-2 REACH: 01-2119480434-38 SUBTILISIN	GHS07, GHS05, GHS09, GHS08 Dgr Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Resp. Sens. 1, H334 STOT SE 3, H335 Aquatic Chronic 2, H411 Aquatic Acute 1, H400 M Acute = 1	[1]	0 <= x % < 0.05
INDEX: 13463_67_7 CAS: 13463-67-7 EC: 236-675-5 REACH: 01-2119489379-17 TITANIUM DIOXIDE	EUH:210-212	[1]	0 <= x % < 0.05
INDEX: 647-015-00-4 CAS: 9000-90-2 EC: 232-565-6 REACH: 01-2119938627-26 AMYLASE, ALPHA-	GHS08 Dgr Resp. Sens. 1, H334	[1]	0 <= x % < 0.05
INDEX: I5392_40_5 CAS: 5392-40-5 EC: 226-394-6 REACH: 01-2119462829-23 CITRAL	GHS07 Wng Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319	[1]	0 <= x % < 0.05
INDEX: I80_56_8 CAS: 80-56-8 EC: 201-291-9 REACH: 01-2119519223-49 ALPHA-PINENE	GHS02, GHS07, GHS08, GHS09 Dgr Flam. Liq. 3, H226 Acute Tox. 4, H302 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1	[1]	0 <= x % < 0.05
INDEX: I128_37_0 CAS: 128-37-0 EC: 204-881-4 REACH: 01-2119480433-40 BUTYLATED HYDROXYTOLUENE	GHS09 Wng Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1	[1]	0 <= x % < 0.05

PROLINGE TABLETTES DESINFECTANTES

INDEX: I127_91_3 CAS: 127-91-3 EC: 204-872-5 REACH: 01-2119519230-54 BETA-PINENE	GHS02, GHS07, GHS08, GHS09 Dgr Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1	[1]	0 <= x % < 0.05
INDEX: 607-094-00-8 CAS: 79-21-0 EC: 201-186-8 PERACETIC ACID	GHS02, GHS05, GHS07, GHS09 Dgr Flam. Liq. 3, H226 Org. Perox. D, H242 Acute Tox. 4, H332 Acute Tox. 4, H312 Acute Tox. 4, H302 Skin Corr. 1A, H314 Aquatic Acute 1, H400 M Acute = 1	[1]	0 <= x % < 0.05
INDEX: 603-057-00-5 CAS: 100-51-6 EC: 202-859-9 BENZYL ALCOHOL	GHS07 Wng Acute Tox. 4, H332 Acute Tox. 4, H302	[1]	0 <= x % < 0.05

Specific concentration limits:

Identification	Specific concentration limits	ATE
INDEX: 15630_89_4A CAS: 15630-89-4 EC: 239-707-6 REACH: 01-2119457268-30 SODIUM CARBONATE PEROXYHYDRATE	Eye Dam. 1: H318 C>= 25% Eye Irrit. 2: H319 7.5% <= C < 25%	oral: ATE = 1034 mg/kg BW
INDEX: 1344_09_BC CAS: 1344-09-8 EC: 215-687-4 REACH: 01-2119448725-31 SILICIC ACID, SODIUM SALT		oral: ATE = 3400 mg/kg BW
INDEX: 85409_22_9 CAS: 85409-22-9 EC: 287-089-1 QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-14-ALKYLDIMETHYL, CHLORIDES		dermal: ATE = 3340 mg/kg BW oral: ATE = 344 mg/kg BW
INDEX: 9014_01_1 CAS: 9014-01-1 EC: 232-752-2 REACH: 01-2119480434-38 SUBTILISIN		inhalation: ATE = 0.8 mg/l (dust/mist) oral: ATE = 1800 mg/kg BW
INDEX: 607-094-00-8 CAS: 79-21-0 EC: 201-186-8 PERACETIC ACID	STOT SE 3: H335 C>= 1%	

Information on ingredients :

(Full text of H-phrases: see section 16)

[1] Substance for which maximum workplace exposure limits are available.

PROLINGE TABLETTES DESINFECTANTES

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of exposure by inhalation :

In the event of massive inhalation, remove the person to fresh air and keep warm and at rest.

In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Seek medical attention immediately, showing the label.

Keep at rest. Do not induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

In the event of a fire, use :

- sprayed water or water mist
- foam
- powder
- carbon dioxide (CO₂)

Unsuitable methods of extinction

In the event of a fire, do not use :

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO₂)

5.3. Advice for firefighters

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

Avoid dust inhalation.

PROLINGE TABLETTES DESINFECTANTES

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Retrieve the product by mechanical means (sweeping/vacuuming).

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid eye contact with this mixture at all times.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of reach of children.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
9004-34-6	10 mg/m ³				
9014-01-1			0.00006 mg/m ³		
13463-67-7	10 mg/m ³			A4	
5392-40-5	5 (IFV) ppm			Skin; SEN; A4	
80-56-8	20 ppm			SEN; A4	
128-37-0	2 (IFV) mg/m ³			A4	
127-91-3	20 ppm			SEN; A4	

- Germany - AGW (BAuA - TRGS 900, 08/08/2019) :

CAS	VME :	VME :	Excess	Notes
5989-27-5		5 ppm 28 mg/m ³		4(II)
128-37-0		10 E mg/m ³		4 (II)
100-51-6		5 ppm 22 mg/m ³		2 (I)

- Belgium (Arrêté du 19/11/2020) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
9004-34-6	10 mg/m ³				
9014-01-1	-	-	5 Ag/m ³	-	-
13463-67-7	10 mg/m ³				

PROLINGE TABLETTES DESINFECTANTES

5392-40-5	5 ppm 32 mg/m ³			D	
80-56-8	20 ppm				
128-37-0	2 mg/m ³				
127-91-3	20 ppm				
79-21-0		0.4 ppm 1.24 mg/m ³			

- France (INRS - ED984 / 2020-1546) :

CAS	VME-ppm :	VME-mg/m ³ :	VLE-ppm :	VLE-mg/m ³ :	Notes :	TMP No :
9004-34-6	-	10	-	-	-	-
13463-67-7	-	10	-	-	-	-
128-37-0	-	10	-	-	-	-

- Switzerland (SUVA PRO 2019) :

CAS	VME	VLE	Valeur plafond	Notations
9004-34-6	3 ppm			
5989-27-5	7 ppm 40 mg/m ³	14 mg/m ³ 80 fc/m ³		
9014-01-1		6.0E-5 mg/m ³		
13463-67-7	3 ppm			
9000-90-2	-	-	-	-
128-37-0	10 ppm	40 mg/m ³		S
100-51-6	5 ppm 22 mg/m ³			

- UK / WEL (Workplace exposure limits, EH40/2005, Fourth Edition 2020) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
9004-34-6	4 mg/m ³				
9014-01-1	0.00004 mg/m ³			Sen	
13463-67-7	4 mg/m ³				
128-37-0	10 mg/m ³				

Derived no effect level (DNEL) or derived minimum effect level (DMEL):

TITANIUM DIOXIDE (CAS: 13463-67-7)

Final use:

Exposure method:
Potential health effects:
DNEL :

Workers.

Inhalation.
Long term local effects.
10 mg of substance/m³

Final use:

Exposure method:
Potential health effects:
DNEL :

Consumers.

Ingestion.
Long term systemic effects.
700 mg/kg body weight/day

SILICIC ACID, SODIUM SALT (CAS: 1344-09-8)

Final use:

Exposure method:
Potential health effects:
DNEL :

Workers.

Dermal contact.
Long term systemic effects.
1.59 mg/kg body weight/day

Exposure method:
Potential health effects:
DNEL :

Inhalation.
Long term systemic effects.
5.61 mg of substance/m³

Final use:

Exposure method:
Potential health effects:
DNEL :

Consumers.

Ingestion.
Long term systemic effects.
0.8 mg/kg body weight/day

Exposure method:

Dermal contact.

PROLINGE TABLETTES DESINFECTANTES

Potential health effects: Long term systemic effects.
DNEL : 0.8 mg/kg body weight/day

Exposure method: Inhalation.
Potential health effects: Long term systemic effects.
DNEL : 1.38 mg of substance/m3

SODIUM CARBONATE PEROXYHYDRATE (CAS: 15630-89-4)

Final use: **Workers.**
Exposure method: Dermal contact.
Potential health effects: Short term local effects.
DNEL : 12.8 mg of substance/cm2

Exposure method: Inhalation.
Potential health effects: Long term local effects.
DNEL : 5 mg of substance/m3

Final use: **Consumers.**
Exposure method: Dermal contact.
Potential health effects: Short term local effects.
DNEL : 6.4 mg of substance/cm2

Predicted no effect concentration (PNEC):

TITANIUM DIOXIDE (CAS: 13463-67-7)

Environmental compartment: Soil.
PNEC : 100 mg/kg

Environmental compartment: Fresh water.
PNEC : 0.184 mg/l

Environmental compartment: Sea water.
PNEC : 0.0184 mg/l

Environmental compartment: Fresh water sediment.
PNEC : 1000 mg/kg

Environmental compartment: Marine sediment.
PNEC : 100 mg/kg

Environmental compartment: Waste water treatment plant.
PNEC : 100 mg/l

SILICIC ACID, SODIUM SALT (CAS: 1344-09-8)

Environmental compartment: Fresh water.
PNEC : 7.5 mg/l

Environmental compartment: Sea water.
PNEC : 1 mg/l

Environmental compartment: Intermittent waste water.
PNEC : 7.5 mg/l

Environmental compartment: Waste water treatment plant.
PNEC : 348 mg/l

SODIUM CARBONATE PEROXYHYDRATE (CAS: 15630-89-4)

Environmental compartment: Fresh water.
PNEC : 0.035 mg/l

PROLINGE TABLETTES DESINFECTANTES

Environmental compartment:
PNEC : Intermittent waste water.
0.35 mg/l

Environmental compartment:
PNEC : Waste water treatment plant.
16.24 mg/l

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Before handling powders or dust emission, wear mask goggles in accordance with standard EN166.

Prescription glasses are not considered as protection.

Provide eyewash stations in facilities where the product is handled constantly.

- Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

These clothes shall be chosen to ensure there is no inflammation or irritation of the skin at the neck and wrist by contact with the powder

Suitable type of protective clothing :

Wear protective clothing against solid chemicals and particles suspended in the air (type 5) in accordance with standard EN13982-1/A1 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

- Respiratory protection

Avoid inhaling dust.

Type of FFP mask :

Wear a disposable half-mask dust filter in accordance with standard EN149/A1.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state

Physical state : Solid.

Bilayer tablet

Colour

White-blue

Odour

Odour threshold : Not stated.

Pleasantly scented

Melting point

Melting point/melting range : Not specified.

Freezing point

Freezing point / Freezing range : Not stated.

Boiling point or initial boiling point and boiling range

Boiling point/boiling range : Not specified.

Flammability

Flammability (solid, gas) : Not stated.

PROLINGE TABLETTES DESINFECTANTES

Lower and upper explosion limit

Explosive properties, lower explosivity limit (%) : Not stated.

Explosive properties, upper explosivity limit (%) : Not stated.

Flash point

Flash point interval : Not relevant.

Auto-ignition temperature

Self-ignition temperature : Not specified.

Decomposition temperature

Decomposition point/decomposition range : Not specified.

pH

pH (aqueous solution) : 10.5 +/- 0.5 à 1%

pH : Not relevant.

10.5 +/- 0.5 to 1% in water

Kinematic viscosity

Viscosity : Not stated.

Solubility

Water solubility : Soluble.

Fat solubility : Not stated.

Partition coefficient n-octanol/water (log value)

Partition coefficient: n-octanol/water : Not stated.

Vapour pressure

Vapour pressure (50°C) : Not relevant.

Density and/or relative density

Density : Not stated.

Relative vapour density

Vapour density : Not stated.

9.2. Other information

No data available.

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Avoid :

- formation of dusts

- heat

- humidity

Dusts can form an explosive mixture with air.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO₂)

PROLINGE TABLETTES DESINFECTANTES

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

May have irreversible effects on the eyes, such as tissue damage in the eye, or serious physical decay of sight, which is not fully reversible by the end of observation at 21 days.

Serious eye damage is typified by the destruction of cornea, persistent corneal opacity and iritis.

11.1.1. Substances

Acute toxicity :

TITANIUM DIOXIDE (CAS: 13463-67-7)

Oral route : LD50 > 5000 mg/kg
Species : Rat
OECD Guideline 425 (Acute Oral Toxicity: Up-and-Down Procedure)

Dermal route : LD50 > 2000 mg/kg

SUBTILISIN (CAS: 9014-01-1)

Oral route : LD50 = 1800 mg/kg
Species : Rat

Dermal route : LD50 > 2 ml/kg
Species : Rabbit

Inhalation route (Dusts/mist) : LC50 = 0.8 mg/l
Species : Rat

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-14-ALKYLDIMETHYL, CHLORIDES (CAS: 85409-22-9)

Oral route : LD50 = 344 mg/kg
Species : Rat

Dermal route : LD50 = 3340 mg/kg
Species : Rabbit

SILICIC ACID, SODIUM SALT (CAS: 1344-09-8)

Oral route : LD50 = 3400 mg/kg
Species : Rat

SODIUM CARBONATE PEROXYHYDRATE (CAS: 15630-89-4)

Oral route : LD50 = 1034 mg/kg
Species : Rat

Dermal route : LD50 > 2000 mg/kg
Species : Rabbit

Specific target organ systemic toxicity - repeated exposure :

SILICIC ACID, SODIUM SALT (CAS: 1344-09-8)

Oral route : C > 159 mg/kg bodyweight/day
Species : Rat
Duration of exposure : 90 days

11.1.2. Mixture

No toxicological data available for the mixture.

11.2. Information on other hazards

Monograph(s) from the IARC (International Agency for Research on Cancer) :

CAS 128-37-0 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

CAS 13463-67-7 : IARC Group 2B : The agent is possibly carcinogenic to humans.

CAS 5989-27-5 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

PROLINGE TABLETTES DESINFECTANTES

CAS 1318-02-1 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

SECTION 12 : ECOLOGICAL INFORMATION

Harmful to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.1. Toxicity

12.1.1. Substances

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-14-ALKYLDIMETHYL, CHLORIDES (CAS: 85409-22-9)

Fish toxicity : LC50 = 0.28 mg/l
Factor M = 1
Species : Pimephales promelas
Duration of exposure : 96 h

NOEC = 0.032 mg/l
Species : Pimephales promelas

Crustacean toxicity : EC50 = 0.016 mg/l
Factor M = 10
Species : Daphnia magna
Duration of exposure : 48 h

NOEC = 0.0042 mg/l
Factor M = 1
Species : Daphnia magna

Algae toxicity : ECr50 = 0.049 mg/l
Factor M = 10
Species : Pseudokirchnerella subcapitata
Duration of exposure : 72 h

SODIUM CARBONATE PEROXYHYDRATE (CAS: 15630-89-4)

Fish toxicity : LC50 = 70.7 mg/l
Species : Pimephales promelas
Duration of exposure : 96 h

Crustacean toxicity : EC50 = 4.9 mg/l
Species : Daphnia magna
Duration of exposure : 48 h

Aquatic plant toxicity : ECr50 = 2.62 mg/l
Species : Others
Duration of exposure : 72 h

SUBTILISIN (CAS: 9014-01-1)

Fish toxicity : LC50 = 8.2 mg/l
Duration of exposure : 96 h

Crustacean toxicity : EC50 = 0.17 mg/l
Duration of exposure : 48 h

Algae toxicity : NOEC = 0.041 mg/l
Species : Pseudokirchnerella subcapitata
Duration of exposure : 72 h

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

PROLINGE TABLETTES DESINFECTANTES

12.2. Persistence and degradability

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of Member States and will be provided with their request or at the request of a detergent manufacturer.

12.2.1. Substances

TITANIUM DIOXIDE (CAS: 13463-67-7)

Biodegradability : Non-rapidly degradable.

SUBTILISIN (CAS: 9014-01-1)

Biodegradability : Rapidly degradable.

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-14-ALKYLDIMETHYL, CHLORIDES (CAS: 85409-22-9)

Biodegradability : Rapidly degradable.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No data available.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number or ID number

-

14.2. UN proper shipping name

-

14.3. Transport hazard class(es)

-

14.4. Packing group

-

14.5. Environmental hazards

-

14.6. Special precautions for user

-

PROLINGE TABLETTES DESINFECTANTES

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No 1272/2008 amended and its amendments EU . (ATP)

- Container information:

No data available.

- Particular provisions :

No data available.

- Labelling for detergents (EC Regulation No. 648/2004,907/2006) :

- less than 5 % : phosphonates
- 5 % or over but less than 15 % : anionic surfactants
- less than 5 % : nonionic surfactants
- 5 % or over but less than 15 % : oxygenbased bleaching agents
- less than 5 % : soap
- 5 % or over but less than 15 % : zeolites
- less than 5 % : polycarboxylates
- enzymes
- disinfectants
- optical brighteners
- perfumes
- allergenic fragrances :
d-limonene
amyl cinnamal

- Labelling for biocidal products (Regulation (UE) n° 528/2012) :

Name	CAS	%	Product-type
PERACETIC ACID ...%	79-21-0	24.5 g/kg	02
QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-14-ALKYLDIMETHYL, CHLORIDES	85409-22-9	1.87 g/kg	02

Product-type 2 : Disinfectants and algacides not intended for direct application to humans or animals.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

H226	Flammable liquid and vapour.
H242	Heating may cause a fire.
H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.

PROLINGE TABLETTES DESINFECTANTES

H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH210	Safety data sheet available on request.
EUH212	Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

Abbreviations :

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.
LC50 : The concentration of a test substance resulting in 50% lethality in a given period.
EC50 : The effective concentration of substance that causes 50% of the maximum response.
ECr50 : The effective concentration of substance that causes 50% reduction in growth rate.
NOEC : The concentration with no observed effect.
REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.
ATE : Acute Toxicity Estimate
BW : Body Weight
DNEL : Derived No-Effect Level
PNEC : Predicted No-Effect Concentration
UFI : Unique formulation identifier.
STEL : Short-term exposure limit
TWA : Time Weighted Averages
TMP : French Occupational Illness table
TLV : Threshold Limit Value (exposure)
AEV : Average Exposure Value.
ADR : European agreement concerning the international carriage of dangerous goods by Road.
IMDG : International Maritime Dangerous Goods.
IATA : International Air Transport Association.
ICAO : International Civil Aviation Organisation
RID : Regulations concerning the International carriage of Dangerous goods by rail.
WGK : Wassergefährdungsklasse (Water Hazard Class).
GHS05 : Corrosion
PBT: Persistent, bioaccumulable and toxic.
vPvB : Very persistent, very bioaccumulable.
SVHC : Substances of very high concern.