

TECHNO DEGRAIS'OIL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
SDS Ref.: FFF318 - TECHNO DEGRAIS'OIL
Date of issue: 8/22/2017 Revision date: 1/16/2020 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : TECHNO DEGRAIS'OIL
Product code : 301100-301110
Type of product : Detergent

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use
Industrial/Professional use spec : Industrial
For professional use only
Use of the substance/mixture : Degreasant
Cleansing agent

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

IPC SAS
CS 71821 -10 QUAI COMMANDANT MALBERT
29218 BREST Cedex 2
T 02 98 43 45 44 - F 02 98 44 22 53
ipc@groupe-ipc.com

1.4. Emergency telephone number

Emergency number : 01 45 42 59 59 (n° ORFILA) / + 32 70 245 245

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1C H314
Serious eye damage/eye irritation, Category 1 H318
Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) : Danger
Hazardous ingredients : Sodium hydroxide; Potassium hydroxide
Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.
Precautionary statements (CLP) : P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P311 - Call a POISON CENTER/doctor.
P404 - Store in a closed container.
P102 - Keep out of reach of children.
P280 - Wear protective gloves, eye protection, protective clothing.
P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

TECHNO DEGRAIS'OIL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Propane-2-ol	(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 (REACH-no) 01-2119457558-25	1 - 5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
ACIDE DODECYL BENZENE SULFONIQUE	(CAS-No.) 85536-14-7 (EC-No.) 287-494-3 (REACH-no) 01-2119490234-40	0.1 - 5	Skin Corr. 1A, H314 Eye Dam. 1, H318 Acute Tox. 4 (Oral), H302
Sodium hydroxide	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 (REACH-no) 01-2119457892-27	0.1 - 2	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318
Potassium hydroxide	(CAS-No.) 1310-58-3 (EC-No.) 215-181-3 (EC Index-No.) 019-002-00-8 (REACH-no) 01-2119487136-33	0.1 - 2	Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314
sel de sodium de l'acide ethylènediamine tétraacétique	(CAS-No.) 64-02-8 (EC-No.) 200-573-9 (EC Index-No.) 607-428-00-2 (REACH-no) 01-2119486762-27	0.1 - 2	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:gas), H332 Eye Dam. 1, H318
Polyoxyéthylène 2-éthylexyl ether phosphate	(CAS-No.) 68439-39-4	1 - 5	Skin Corr. 1B, H314 Eye Dam. 1, H318

Specific concentration limits:

Name	Product identifier	Specific concentration limits
Sodium hydroxide	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 (REACH-no) 01-2119457892-27	(0.5 =<C < 2) Skin Irrit. 2, H315 (0.5 =<C < 2) Eye Irrit. 2, H319 (2 =<C < 5) Skin Corr. 1B, H314 (5 =<C < 100) Skin Corr. 1A, H314
Potassium hydroxide	(CAS-No.) 1310-58-3 (EC-No.) 215-181-3 (EC Index-No.) 019-002-00-8 (REACH-no) 01-2119487136-33	(0.5 =<C < 2) Skin Irrit. 2, H315 (0.5 =<C < 2) Eye Irrit. 2, H319 (2 =<C < 5) Skin Corr. 1B, H314 (5 =<C < 100) Skin Corr. 1A, H314

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest. Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER/doctor.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Causes severe skin burns and eye damage.
Symptoms/effects after eye contact	: Causes serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

TECHNO DEGRAIS'OIL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.
Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not breathe vapour.
Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.
Storage conditions : Keep container closed when not in use. Store in original container.
Incompatible products : Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Sodium hydroxide (1310-73-2)

France - Occupational Exposure Limits

Local name	Sodium (hydroxyde de)
VME (mg/m ³)	2 mg/m ³

Potassium hydroxide (1310-58-3)

France - Occupational Exposure Limits

Local name	Potassium (hydroxyde de)
VLE (mg/m ³)	2 mg/m ³

Propane-2-ol (67-63-0)

France - Occupational Exposure Limits

Local name	Alcool isopropylique
VLE (mg/m ³)	980 mg/m ³

TECHNO DEGRAIS'OIL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Propane-2-ol (67-63-0)	
VLE (ppm)	400 ppm
Note (FR)	Valeurs recommandées/admises
Regulatory reference	Circulaire du Ministère du travail (réf.: INRS ED 984, 2012)

8.2. Exposure controls

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Protective gloves. Wear suitable gloves. Protective gloves made of latex. Nitrile rubber gloves

Eye protection:

Chemical goggles or safety glasses. Ocular shower with suitable liquid. Avoid contact with eyes. Failing water point near

Skin and body protection:

Wear suitable protective clothing. Avoid contact with the skin and the eyes. Immediately remove contaminated or damp clothing

Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. In case of insufficient ventilation, wear suitable respiratory equipment

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid.
Colour	: fluorescent yellow.
Odour	: Pine.
Odour threshold	: No data available
pH	: 13 +/-0.5
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.01 +/-0.02
Solubility	: Soluble in water.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates : Corrosive vapours. Basic product.

TECHNO DEGRAIS'OIL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.2. Chemical stability

Stable under normal conditions of storage, handling and use.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. Thermal decomposition generates : Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

Potassium hydroxide (1310-58-3)

LD50 oral rat	273 mg/kg
---------------	-----------

sel de sodium de l'acide éthylènediamine tétraacétique (64-02-8)

LD50 oral	1780 mg/kg
-----------	------------

Propane-2-ol (67-63-0)

LD50 oral rat	5000 mg/kg
---------------	------------

LD50 dermal rabbit	5000 mg/kg
--------------------	------------

ACIDE DODECYL BENZENE SULFONIQUE (85536-14-7)

LD50 oral rat	> 200 mg/kg
---------------	-------------

LD50 dermal rat	> 2000 mg/kg
-----------------	--------------

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: 13 +/-0.5

Serious eye damage/irritation : Causes serious eye damage.

pH: 13 +/-0.5

Respiratory or skin sensitisation : Not classified

Additional information

: Based on available data, the classification criteria are not met

Germ cell mutagenicity

: Not classified

Additional information

: Based on available data, the classification criteria are not met

Carcinogenicity

: Not classified

Additional information

: Based on available data, the classification criteria are not met

Reproductive toxicity

: Not classified

Additional information

: Based on available data, the classification criteria are not met

STOT-single exposure

: Not classified

Additional information

: Based on available data, the classification criteria are not met

STOT-repeated exposure

: Not classified

Additional information

: Based on available data, the classification criteria are not met

Aspiration hazard

: Not classified

Additional information

: Based on available data, the classification criteria are not met

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

TECHNO DEGRAIS'OIL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazardous to the aquatic environment, long-term (chronic) : Not classified

Potassium hydroxide (1310-58-3)

LC50 fish 1	28.6 mg/l
EC50 Daphnia 1	> 100 mg/l

sel de sodium de l'acide ethylènediamine tétraacétique (64-02-8)

LC50 fish 1	> 1000 mg/l
EC50 Daphnia 1	140 mg/l

Propane-2-ol (67-63-0)

LC50 fish 1	> 100 mg/l
EC50 Daphnia 1	> 100 mg/l

ACIDE DODECYL BENZENE SULFONIQUE (85536-14-7)

LC50 fish 1	1.67 mg/l
EC50 Daphnia 1	2.9 mg/l

12.2. Persistence and degradability

DETERGENT SURPUISSANT POUR L'ELIMINATION DES GRAISSES ET HYDROCARBURES

Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.
-------------------------------	--

Propane-2-ol (67-63-0)

Biodegradation	53 % Durée d'exposition 5 jours
----------------	---------------------------------

12.3. Bioaccumulative potential

DETERGENT SURPUISSANT POUR L'ELIMINATION DES GRAISSES ET HYDROCARBURES

Bioaccumulative potential	Not established.
---------------------------	------------------

Propane-2-ol (67-63-0)

Log Pow	0.05
---------	------

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Component

sel de sodium de l'acide ethylènediamine tétraacétique (64-02-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Propane-2-ol (67-63-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
ACIDE DODECYL BENZENE SULFONIQUE (85536-14-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.






SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

TECHNO DEGRAIS'OIL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830


ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 3266	UN 3266	UN 3266	UN 3266	UN 3266
14.2. UN proper shipping name				
CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.	Corrosive liquid, basic, inorganic, n.o.s.	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.
Transport document description				
UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium hydroxide ; Sodium hydroxide), 8, III, (E)	UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium hydroxide ; Sodium hydroxide), 8, III	UN 3266 Corrosive liquid, basic, inorganic, n.o.s. (Potassium hydroxide ; Sodium hydroxide), 8, III	UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium hydroxide ; Sodium hydroxide), 8, III	UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium hydroxide ; Sodium hydroxide), 8, III
14.3. Transport hazard class(es)				
8	8	8	8	8
				
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

14.6. Special precautions for user

Special transport precautions : Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport

Overland transport

Classification code (ADR) : C5
 Special provisions (ADR) : 274
 Limited quantities (ADR) : 5I
 Excepted quantities (ADR) : E1
 Packing instructions (ADR) : P001, IBC03, LP01, R001
 Mixed packing provisions (ADR) : MP19
 Portable tank and bulk container instructions (ADR) : T7
 Portable tank and bulk container special provisions (ADR) : TP1, TP28
 Tank code (ADR) : L4BN
 Vehicle for tank carriage : AT
 Transport category (ADR) : 3
 Special provisions for carriage - Packages (ADR) : V12
 Hazard identification number (Kemler No.) : 80
 Orange plates :



Tunnel restriction code (ADR) : E

Transport by sea

Special provisions (IMDG) : 223, 274

TECHNO DEGRAIS'OIL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP1, TP28
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Stowage category (IMDG)	: A
Stowage and handling (IMDG)	: SW2
Segregation (IMDG)	: SG35
Properties and observations (IMDG)	: Reacts violently with acids. Causes burns to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y841
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 852
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 856
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3, A803
ERG code (IATA)	: 8L

Inland waterway transport

Classification code (ADN)	: C5
Special provisions (ADN)	: 274
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0

Rail transport

Classification code (RID)	: C5
Special provisions (RID)	: 274
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T7
Portable tank and bulk container special provisions (RID)	: TP1, TP28
Tank codes for RID tanks (RID)	: L4BN
Special provisions for RID tanks (RID)	: TU42
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 80

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

TECHNO DEGRAIS'OIL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Detergent Regulation : Ingredient data sheet:		
Component	CAS-No.	%
C10-13 ALKYL BENZENESULFONATE-L	85536-14-7	1 - 10%
ISOPROPYL ALCOHOL	67-63-0	1 - 10%
Polyoxyéthylène 2-éthylhexyl ether phosphate	68439-39-4	1 - 10%
TETRASODIUM EDTA	64-02-8	1 - 10%
potassium hydroxide; caustic potash	1310-58-3	0.1 - 1%
SODIUM HYDROXIDE	1310-73-2	0.1 - 1%
Detergent Regulation : Labelling of contents:		
Component	%	
EDTA and salts thereof, anionic surfactants	<5%	

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

TECHNO DEGRAIS'OIL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
