

PRODERM VIRUCIDE

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : PRODERM VIRUCIDE

Product code : 105206

1.2. Relevant identified uses of the substance or mixture and uses advised against

Hygiene of the hands

TP1: Hand disinfection (healthy skin).

Main use category :

Additional Information :

Product for mixed, professional and general public use.

The product should not be used for applications other than those described in this safety data sheet or in the technical documents for the product.

1.3. Details of the supplier of the safety data sheet

Registered company name : IPC.

Address : 10 QUAI MALBERT CS 71 821.29218.BREST.France.

Telephone : 02 98 43 45 44. Fax : 02 98 44 22 53.

www.ipc-sa.com

1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation : INRS / ORFILA <http://www.centres-antipoison.net>.

Other emergency numbers

European emergency call number : 112

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Eye irritation, Category 2 (Eye Irrit. 2, H319).

Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

2.2. Label elements

Biocidal mixture (see section 15).

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS07

Signal Word :

WARNING

Hazard statements :

H319

Causes serious eye irritation.

H412

Harmful to aquatic life with long lasting effects.

Precautionary statements - General :

P101

If medical advice is needed, have product container or label at hand.

P102

Keep out of reach of children.

P103

Read carefully and follow all instructions.

Precautionary statements - Prevention :

P273

Avoid release to the environment.

Precautionary statements - Response :

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

PRODERM VIRUCIDE

P337 + P313

If eye irritation persists: Get medical advice/attention.

Precautionary statements - Disposal :

P501

Dispose of contents and container to approved waste disposal facility in accordance with national regulations.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) $\geq 0.1\%$ published by the European CHemicals Agency (ECHA) under article 59 of REACH: <http://echa.europa.eu/fr/candidate-list-table>

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances $\geq 0.1\%$ with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

Do not mix with other biocidal products.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :

Identification	Classification (EC) 1272/2008	Note	%
INDEX: 0759 CAS: 56-81-5 EC: 200-289-5 REACH: EXEMPTE GLYCEROL		[i]	0 <= x % < 5
INDEX: 0091 CAS: 68424-85-1 EC: 270-325-2 REACH: 01-2119965180-41-XXXX QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES	GHS07, GHS05, GHS09 Dgr Acute Tox. 4, H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 M Acute = 10 Aquatic Chronic 1, H410 M Chronic = 1		0 <= x % < 2.5
INDEX: 612_131_00_6 CAS: 7173-51-5 EC: 230-525-2 DIDECYLDIMETHYLAMMONIUM CHLORIDE	GHS06, GHS05, GHS09 Dgr Acute Tox. 3, H301 Skin Corr. 1B, H314 Aquatic Chronic 2, H411 Aquatic Acute 1, H400 M Acute = 10		0 <= x % < 2.5

Specific concentration limits:

Identification	Specific concentration limits	ATE
INDEX: 0759 CAS: 56-81-5 EC: 200-289-5 REACH: EXEMPTE GLYCEROL		oral: ATE = 12600 mg/kg BW
INDEX: 0091 CAS: 68424-85-1 EC: 270-325-2 REACH: 01-2119965180-41-XXXX QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES		oral: ATE = 398 mg/kg BW
INDEX: 612_131_00_6 CAS: 7173-51-5 EC: 230-525-2 DIDECYLDIMETHYLAMMONIUM CHLORIDE		dermal: ATE = 3342 mg/kg BW oral: ATE = 238 mg/kg BW

Nanoform

The product doesn't contain any nanomaterials.

PRODERM VIRUCIDE

Information on ingredients :

(Full text of H-phrases: see section 16)

[i] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

Keep the packaging with the label and/or the instructions available.

In the event of disturbance of consciousness, place the subject in a lateral safety position (lying on his side); call 15/112.

4.1. description of first aid measures

In the event of splashes or contact with eyes :

If necessary, remove the lenses if possible. Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open. If there is any redness or visual impairment, consult an ophthalmologist.

In the event of splashes or contact with skin :

If an irritation appears or if the contamination is spread or prolonged, to consult a doctor.

In the event of swallowing :

N/A

Immediately call a physician and show him/her the label.

4.2. Most important symptoms and effects, both acute and delayed

No additional information known.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information known.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

In the event of a fire, use :

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO₂)
- dry sand

Unsuitable methods of extinction

Do not use pressurized water jet may disperse and spread the fire.

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO₂)
- nitrogen oxide (NO)
- hydrogen (H₂)

5.3. Advice for firefighters

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

Cool containers exposed to heat with water spray. Dike and contain extinguishing fluids.

Prevent fire extinguishing water from contaminating surface water or the ground water system.

PRODERM VIRUCIDE

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

No action shall be taken involving any personal risk or without suitable training. Evacuate the area.

If large quantities are spilled, there is a risk of slipping.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

N/A

6.3. Methods and material for containment and cleaning up

In the event of soil contamination, and after recovery of the product by blotting it with an inert and non-combustible absorbent material, wash the soiled surface thoroughly with water.

Clean preferably with water. Avoid the use of solvents.

All contaminated materials should be considered as waste for disposal according to local regulations (Refer to section 13).

6.4. Reference to other sections

Section 7: Handling and Storage

Section 8: exposure control and personal protection

Section 10: Incompatible materials.

Section 13: Disposal Considerations

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before use.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid eye contact with this mixture.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

Stable under normal conditions of handling and storage

Storage

Keep out of reach of children.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Store in original packaging, tightly closed, protected from light, heat and cold.

Packaging

Always keep in packaging made of an identical material to the original.

Recommended types of packaging :

- Vats

- Bottles

- Drums

- Flexible plastics

Suitable packaging materials :

- Plastic

- Compatible grades HDPE.

PRODERM VIRUCIDE

Unsuitable packaging materials :

- Wood
- Cardboard
- Paper bag
- Textile
- Metal

7.3. Specific end use(s)

The mixture is a biocidal product. It must not be used for applications other than those described in this safety data sheet and in the technical documents concerning the product.

Do not mix with other biocidal products.

Product for mixed use: professional and general public.

Always read the label or the instructions before use, and follow all the instructions given there.

Respect the conditions of use of the product (concentration, contact time, ...).

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
56-81-5	10 mg/m3				

- Germany - AGW (BAuA - TRGS 900, 02/2022) :

CAS	VME :	VME :	Excess	Notes
56-81-5		200 E mg/m3		2 (I)

- France (INRS - Outils 65 / 2021-1849, 2021-1763, decree of 09/12/2021) :

CAS	VME-ppm :	VME-mg/m3 :	VLE-ppm :	VLE-mg/m3 :	Notes :	TMP No :
56-81-5		10				

- Poland (Dz. U. z 2018 r. poz. 917, 1000 i 1076) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
56-81-5	10 mg/m3				

- Switzerland (Suva 2021) :

CAS	VME	VLE	Valeur plafond	Notations
56-81-5	50 mg/m3	100 mg/m3		SSC

- UK / WEL (Workplace exposure limits, EH40/2005, Fourth Edition 2020) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
56-81-5	10 mg/m3				

Derived no effect level (DNEL) or derived minimum effect level (DMEL):

DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5)

Final use:

Exposure method:
Potential health effects:
DNEL :

Workers.

Dermal contact.
Long term systemic effects.
1.55 mg/kg body weight/day

Exposure method:
Potential health effects:
DNEL :

Inhalation.
Long term systemic effects.
5.39 mg of substance/m3

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES (CAS: 68424-85-1)

Final use:

Exposure method:
Potential health effects:
DNEL :

Workers.

Dermal contact.
Long term systemic effects.
5.7 mg/kg body weight/day

Exposure method:
Potential health effects:
DNEL :

Inhalation.
Long term systemic effects.
3.96 mg of substance/m3

PRODERM VIRUCIDE

Final use:

Exposure method:
Potential health effects:
DNEL :

Consumers.

Ingestion.
Long term systemic effects.
3.4 mg/kg body weight/day

Exposure method:
Potential health effects:
DNEL :

Dermal contact.
Long term systemic effects.
3.4 mg/kg body weight/day

Exposure method:
Potential health effects:
DNEL :

Inhalation.
Long term systemic effects.
1.64 mg of substance/m³

Predicted no effect concentration (PNEC):

DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5)

Environmental compartment: Soil.
PNEC : 1.4 mg/kg

Environmental compartment: Fresh water.
PNEC : 0.0011 mg/l

Environmental compartment: Sea water.
PNEC : 0.00011 mg/l

Environmental compartment: Intermittent waste water.
PNEC : 0.00021 mg/l

Environmental compartment: Fresh water sediment.
PNEC : 61.86 mg/kg

Environmental compartment: Marine sediment.
PNEC : 6.186 mg/kg

Environmental compartment: Waste water treatment plant.
PNEC : 0.14 mg/l

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES (CAS: 68424-85-1)

Environmental compartment: Soil.
PNEC : 7 mg/kg

Environmental compartment: Fresh water.
PNEC : 0.0009 mg/l

Environmental compartment: Sea water.
PNEC : 0.00096 mg/l

Environmental compartment: Intermittent waste water.
PNEC : 0.00016 mg/l

Environmental compartment: Fresh water sediment.
PNEC : 12.27 mg/kg

Environmental compartment: Marine sediment.
PNEC : 13.09 mg/kg

Environmental compartment: Waste water treatment plant.
PNEC : 0.4 mg/l

PRODERM VIRUCIDE

8.2. Exposure controls

Appropriate engineering controls

The personal protection measures set out below reflect our current knowledge of the product. They must be followed in cases of: increased handling of the product, during deconditioning/repackaging steps, in the event of accidental dispersion or fire fighting.

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

Goggles recommended for transfers.

- Hand protection

Gloves must be selected according to the application and duration of use at the workstation.

N/A

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Wash contaminated clothing before reuse.

- Respiratory protection

Under normal conditions, breathing protection is not required.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state

Physical state : Viscous liquid.

Colour

Color : N/A

Odour

Odour threshold : Not stated.

Melting point

Melting point/melting range : Not relevant.

Freezing point

Freezing point / Freezing range : Not stated.

Boiling point or initial boiling point and boiling range

Boiling point/boiling range : Not relevant.

Flammability

Flammability (solid, gas) : Not stated.

Lower and upper explosion limit

Explosive properties, lower explosivity limit (%) Not stated.

:

Explosive properties, upper explosivity limit (%) Not stated.

:

Flash point

Flash point interval : Not relevant.

Auto-ignition temperature

Self-ignition temperature : Not relevant.

Decomposition temperature

Decomposition point/decomposition range : Not relevant.

PRODERM VIRUCIDE

pH

pH (aqueous solution) : Not stated.
pH : 6.00 +/- 1.00.
Neutral.

Kinematic viscosity

Viscosity : Not stated.

Solubility

Water solubility : Soluble.
Fat solubility : Not stated.

Partition coefficient n-octanol/water (log value)

Partition coefficient: n-octanol/water : Not stated.

Vapour pressure

Vapour pressure (50°C) : Not relevant.

Density and/or relative density

Density : 1.01 +/- 0.02 g/cm³ (à 20°C)
Method for determining the density :
OCDE Guideline 109 (Density of liquids and solids).

Relative vapour density

Vapour density : Not stated.

Particle characteristics

The mixture does not contain nanoforms.

9.2. Other information

No additional information available.

9.2.1. Information with regard to physical hazard classes

No additional information available.

9.2.2. Other safety characteristics

No additional information available.

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

Due to the cationic nature of ammonium salts, the product is chemically incompatible with anionic compounds.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

10.4. Conditions to avoid

Avoid :
- frost
- heat
- exposure to light

10.5. Incompatible materials

Keep away from :
N/A
Do not mix with anionic components

10.6. Hazardous decomposition products

The thermal decomposition may release/form :
- carbon monoxide (CO)
- carbon dioxide (CO₂)
- nitrogen oxide (NO)
- hydrogen (H₂)

PRODERM VIRUCIDE

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Splashes in the eyes may cause irritation and reversible damage

11.1.1. Substances

Acute toxicity :

DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5)

Oral route : LD50 = 238 mg/kg bodyweight/day
Species : Rat
OECD Guideline 401 (Acute Oral Toxicity)

Dermal route : LD50 = 3342 mg/kg bodyweight/day
Species : Rabbit

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES (CAS: 68424-85-1)

Oral route : LD50 = 398 mg/kg bodyweight/day
Species : Rat

GLYCEROL (CAS: 56-81-5)

Oral route : LD50 = 12600 mg/kg bodyweight/day
Species : Rat

Dermal route : LD50 > 10000 mg/kg bodyweight/day
Species : Rabbit

Skin corrosion/skin irritation :

DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5)

Corrosivity : Causes severe skin burns.
Species : Rabbit
OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

Effect observed : Overall irritation score
Species : Rabbit

Respiratory or skin sensitisation :

DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5)

Buehler Test : Non-sensitiser.
Species : Guinea pig
Other guideline

Germ cell mutagenicity :

DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5)

Mutagenesis (in vivo) : Negative.
Species : Rat
OECD Guideline 475 (Mammalian Bone Marrow Chromosome Aberration Test)

OECD Guideline 471 (Bacterial Reverse Mutation Assay)

Ames test (in vitro) : Negative.

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES (CAS: 68424-85-1)

No mutagenic effect.

Mutagenesis (in vitro) : Negative.

Ames test (in vitro) : Negative.

PRODERM VIRUCIDE

Carcinogenicity :

DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5)

Carcinogenicity Test : Negative.
No carcinogenic effect.

11.1.2. Mixture

Acute toxicity :

Not classified

Skin corrosion/skin irritation :

N/A

Guideline:

OECD TG 439

Result: Mean Tissue Viability = 59 %

Species: Human Reconstructed Skin

Duration : 15mins Exposure 42 hr Post Incubation

Serious damage to eyes/eye irritation :

Causes severe eye irritation (H319).

Respiratory or skin sensitisation :

Not classified

Germ cell mutagenicity :

Not classified

Carcinogenicity :

Not classified

Reproductive toxicant :

Not classified

Specific target organ systemic toxicity - single exposure :

Unclassified.

Specific target organ systemic toxicity - repeated exposure :

Unclassified.

Aspiration hazard :

Unclassified.

Information on likely routes of exposure

Not classified

11.2. Information on other hazards

Endocrine disrupting properties

The mixture does not contain ingredients considered to have endocrine disrupting properties according to Article 57, point f) of REACH or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or more.

Monograph(s) from the IARC (International Agency for Research on Cancer) :

CAS 67-63-0 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

SECTION 12 : ECOLOGICAL INFORMATION

Harmful to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.1. Toxicity

12.1.1. Substances

DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5)

Fish toxicity : LC50 = 0.19 mg/l

Factor M = 1

Species : Pimephales promelas

Duration of exposure : 96 h

NOEC = 0.032 mg/l

Species : Danio rerio

Duration of exposure : 35 days

PRODERM VIRUCIDE

	OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test)
Crustacean toxicity :	EC50 = 0.062 mg/l Species : Daphnia magna Duration of exposure : 48 h OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
	NOEC = 0.014 mg/l Species : Daphnia magna Duration of exposure : 21 days OECD Guideline 211 (Daphnia magna Reproduction Test)
Algae toxicity :	ECr50 = 0.026 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 96 h OECD Guideline 201 (Alga, Growth Inhibition Test)
QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES (CAS: 68424-85-1)	
Fish toxicity :	LC50 = 1 mg/l Factor M = 1 Duration of exposure : 96 h
Crustacean toxicity :	EC50 = 0.1 mg/l Factor M = 10 Species : Daphnia magna Duration of exposure : 48 h
Algae toxicity :	ECr50 = 0.1 mg/l Factor M = 10 Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h
	NOEC = 0.01 mg/l Factor M = 1 Species : Pseudokirchnerella subcapitata OECD Guideline 201 (Alga, Growth Inhibition Test)
GLYCEROL (CAS: 56-81-5)	
Fish toxicity :	LC50 = 54000 mg/l Species : Oncorhynchus mykiss Duration of exposure : 96 h
Crustacean toxicity :	EC50 > 10000 mg/l Species : Daphnia magna Duration of exposure : 24 h

12.1.2. Mixtures

Harmful to aquatic life with long lasting effects (H412).

12.2. Persistence and degradability

12.2.1. Substances

DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5)
Biodegradability : Rapidly degradable.

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES (CAS: 68424-85-1)
Biodegradability : Rapidly degradable.

GLYCEROL (CAS: 56-81-5)
Chemical oxygen demand : DCO = 1.16 g/g

PRODERM VIRUCIDE

	ISO 15705 (Determination of the chemical oxygen demand index (ST-COD) - Small-scale sealed-tube method)
Five-day biochemical oxygen demand :	DBO5 = 0.87 g/g
Biodegradability :	Rapidly degradable. BOD5/COD = 0.75

12.3. Bioaccumulative potential

N/A

12.3.1. Substances

DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5)
Bioaccumulation : BCF = 81

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES (CAS: 68424-85-1)
Octanol/water partition coefficient : log K_{ow} < 3.

GLYCEROL (CAS: 56-81-5)
Octanol/water partition coefficient : log K_{ow} < 3.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The blend does not contain any ingredients considered persistent, bio-accumulating and toxic (PBT), or very persistent and very bio-accumulating (vPvB) at levels of 0.1% or greater, in accordance with appendix XIII of the REACH regulation (EC) n°1907/2006.

12.6. Endocrine disrupting properties

The mixture does not contain any substance evaluated as an endocrine disruptor with environmental effects.

The mixture does not contain ingredients considered to have endocrine disrupting properties according to Article 57, point f) of REACH or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or more.

12.7. Other adverse effects

No additional information available.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not dispose of the biocidal product in pipes (sinks, toilets, etc.), gutters, waterways, in the open field or in any other outdoor environment.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

Properties of waste which render it hazardous (Directive 2008/98/EC, Annex III):

HP 14 "Ecotoxic": The waste contains one or more substances classified in category 1, 2 or 3 for chronic aquatic toxicity and bearing the hazard statement codes H410, H411 or H412 pursuant to Regulation (EC) No 1272/2008.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number or ID number

-

14.2. UN proper shipping name

-

14.3. Transport hazard class(es)

-

PRODERM VIRUCIDE

14.4. Packing group

-

14.5. Environmental hazards

-

14.6. Special precautions for user

-

14.7. Maritime transport in bulk according to IMO instruments

-

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2023/707.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2024/197. (ATP 21)

Container information:

No data available.

Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 (REACH):

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH):
<https://echa.europa.eu/substances-restricted-under-reach>.

Explosives precursors :

The mixture does not contain any substance subject to Regulation (EU) 2019/1148 on the marketing and use of explosives precursors.

Particular provisions :

No data available.

Labelling for biocidal products (Regulation (UE) n° 528/2012) :

Name	CAS	%		Product-type
DIDECYLDIMETHYLAMMONIUM CHLORIDE	7173-51-5	3.38	g/kg	01
QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES	68424-85-1	7.50	g/kg	01

Product-type 1 : Human hygiene.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 :

Classification in accordance with Regulation (EC) No 1272/2008	Classification procedure
Eye Irrit. 2, H319	Calculation method.
Aquatic Chronic 3, H412	Calculation method.

Wording of the phrases mentioned in section 3 :

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

PRODERM VIRUCIDE

Abbreviations and acronyms :

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.
LC50 : The concentration of a test substance resulting in 50% lethality in a given period.
EC50 : The effective concentration of substance that causes 50% of the maximum response.
ECr50 : The effective concentration of substance that causes 50% reduction in growth rate.
NOEC : The concentration with no observed effect.
REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.
ATE : Acute Toxicity Estimate
BW : Body Weight
DNEL : Derived No-Effect Level
PNEC : Predicted No-Effect Concentration
STEL : Short-term exposure limit
TWA : Time Weighted Averages
TMP : French Occupational Illness table
TLV : Threshold Limit Value (exposure)
AEV : Average Exposure Value.
ADR : European agreement concerning the international carriage of dangerous goods by Road.
IMDG : International Maritime Dangerous Goods.
IATA : International Air Transport Association.
ICAO : International Civil Aviation Organisation
RID : Regulations concerning the International carriage of Dangerous goods by rail.
GHS07 : Exclamation mark
PBT: Persistent, bioaccumulable and toxic.
vPvB : Very persistent, very bioaccumulable.
SVHC : Substances of very high concern.