

SAFETY DATA SHEET

(In accordance with article 2 of regulation 2020/878 and its amendments)

M SYSTEM ECLAT

Version No.: V10-CLP
Date revised : 08/04/2024

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

1.1. Product identifier.

Product name : **M SYSTEM ECLAT**

1.2. Relevant identified uses of the substance or mixture and uses advised against.

Raw material for industrial use : fragrance composition (perfume).

1.3. Details of the supplier of the safety data sheet.

Company : IPC
Address : 10 Quai Malbert, 29200, BREST, FRANCE.
Town : Tel. : +33 (0)2 98 43 45 44. Fax : +33 (0)2 98 44 22 53
Country : ipc@groupe-ipc.com
Phone N° :
Email :

1.4. Emergency telephone number.

ORFILA : +33 (0)1 45 42 59 59 (24h/24 7/7)

2. HAZARDS IDENTIFICATION.

2.1. Classification of the substance or mixture.

Classification according to Regulation (EC) N° 1272/2008

Class/Cat. of danger	Phrases of Hazard	Codes of danger	Mentions of Hazard
		EUH 208	Contains <3-(4-isobutyl-2-methylphenyl)propanal>. May produce an allergic reaction.
Aquatic Chronic 3	Chronic Aquatic toxicity cat. 3	H412	Harmful to aquatic life with long lasting effects.

2.2. Label elements.

Labelling according to Regulation (EC) N° 1272/2008



Signal word : ----

Codes of danger	Mentions of Hazard
EUH 208	Contains <3-(4-isobutyl-2-methylphenyl)propanal>. May produce an allergic reaction.
H412	Harmful to aquatic life with long lasting effects.

Type	Code	Precautionary
P	P273	Avoid release to the environment.

SAFETY DATA SHEET

(In accordance with article 2 of regulation 2020/878 and its amendments)

M SYSTEM ECLAT

Version No.: V10-CLP

Date revised : 08/04/2024

E	P501	Dispose of the contents/container in a hazardous or special waste collection centre in accordance with local, regional, national and/or international regulations.
---	------	--

P : Prevention I : Intervention S : Storage E : Elimination

Substances involving one classification
3-(4-isobutyl-2-methylphenyl)propanal

2.3. Other hazards.

Endocrine disruptors >= 0,1% :	The mixture does not contain any ingredients considered to have endocrine disrupting properties according to Article 57(f) of REACH or Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or more.
SVHC >= 0,1% :	None.
vPvB and PBT >= 0,1% :	None.
Nanoparticles :	None.

3. COMPOSITION/INFORMATION ON INGREDIENTS.

Dosage	Substances / Specific concentration limit	CAS no. EINECS/ELINCS no. EC-List no.	REACH N°	Classification Regulatory (EC) 1272 /2008	ETA M Factor
5,00%	2-tert-butylcyclohexyl acetate	88-41-5 201-828-7	01-2119970713-33-xxxx	Aquatic Chronic 2, H411;	ETA (oral): 4600 mg/kg
5,00%	phenylethyl alcohol	60-12-8 200-456-2	01-2119963921-31-xxxx	Eye Irrit. 2, H319; Acute Tox. 4, H302;	ETA (oral): 1610 mg/kg ETA (cutaneous): 2500 mg/kg
5,00%	2,4-dimethyl-4,4a,5,9b-tetrahydroindeno [1,2-d]-1,3-dioxin (magnolan) (Reaction mass of (2R*,4R*,4aR*,9bS*)-2,4-dimethyl-4,4a,5,9b-tetrahydroindeno[1,2-d][1,3]dioxine and (2R*,4R*,4aS*,9bR*)-2,4-dimethyl-4,4a,5,9b-tetrahydroindeno[1,2-d][1,3]dioxine)	27606-09-3 248-561-2 (EC-List : 944-528-8)	01-2120234292-65-xxxx	Acute Tox. 4, H302; Aquatic Chronic 3, H412;	ETA (oral): 500 mg/kg
4,00%	3-methyl-5-phenylpentanol	55066-48-3 259-461-3	01-2119969446-23-xxxx	Acute Tox. 4, H302;	ETA (oral): 1830 mg/kg ETA (cutaneous): 3100 mg/kg
2,00%	2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol ((2E)-2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-buten-1-ol (CAS 106185-75-5))	28219-61-6 248-908-8 (EC-List : 701-122-3)	01-2119529224-45-xxxx	Aquatic Chronic 2, H411; Eye Irrit. 2, H319;	
1,96%	cis-3-hexenyl salicylate	65405-77-8 265-745-8	01-2119987320-37-xxxx	Aquatic Acute 1, H400;	ETA (oral): 2500 mg/kg M=1 (acute toxicity)

SAFETY DATA SHEET

(In accordance with article 2 of regulation 2020/878 and its amendments)

M SYSTEM ECLAT

Version No.: V10-CLP

Date revised : 08/04/2024

1,00%	(E/Z)-9-hydroxy-5,9-dimethyldec-4-enal (Reaction mass of cis-9-hydroxy-5,9-dimethyldec-4-enal and trans-9-hydroxy-5,9-dimethyldec-4-enal)	926-50-1 940-437-2 (EC-List : 940-437-2)	01-2120052106-68-xxxx	Aquatic Chronic 3, H412; Eye Irrit. 2, H319; Skin Irrit. 2, H315;	
1,00%	dimethyl benzyl carbinyl acetate (alpha,alpha-dimethylphenethyl acetate)	151-05-3 205-781-3	01-2120258394-51-xxxx	Aquatic Chronic 3, H412; Skin Irrit. 2, H315;	ETA (oral): 3300 mg/kg
0,50%	5-cyclohexadecen-1-one	37609-25-9 253-568-9	01-2120734168-53-xxxx	Aquatic Chronic 1, H410; Aquatic Acute 1, H400;	ETA (oral): 2500 mg/kg M=1 (chronic toxicity) M=1 (acute toxicity)

Substances classified SS 1/SS 1A/SS 1B/REP 1A/REP 1B between 0.1 and 0.01% :

Dosage	Substances / Specific concentration limit	CAS no. EINECS/ELINCS no.	REACH N°	Classification Regulatory (EC) 1272 /2008	ETA M Factor
0,10%	3-(4-isobutyl-2-methylphenyl) propanal	1637294-12-2 811-285-3	01-2120103156-71-xxxx	Acute Tox. 4, H332; Aquatic Chronic 2, H411; Skin Sens. 1, H317; Skin Irrit. 2, H315;	

For the entire text of H phrases, or classes and categories of hazard mentioned in this section , see section 16.

4. FIRST-AID MEASURES.

4.1. Description of first aid measures.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact :

If irritation appears, remove any contaminated clothing . Wash affected areas thoroughly with soap and water.
If irritation persists or any sign of tissue damage is apparent, obtain medical advice.

On contact with eyes :

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open,consult an eye specialist

On ingestion :

Rinse mouth immediately with water. Don't drink anything. Do not intend make vomit and seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed.

None.

4.3. Indication of any immediate medical attention and special treatment needed.

None.

5. FIRE-FIGHTING MEASURES.

5.1. Extinguishing media.

Suitable extinguishing media :

Foam or powder or carbon dioxide extinguishers: Combat the important fires with water spray or foam resistant to alcohol.

SAFETY DATA SHEET

(In accordance with article 2 of regulation 2020/878 and its amendments)

M SYSTEM ECLAT

Version No.: V10-CLP
Date revised : 08/04/2024

Unsuitable extinguishing media :

Do not use a direct water jet on the burning product.

5.2. Special hazards arising from the substance or mixture.

As a result of combustion or thermal decomposition reactive subproducts are created (CO₂, CO, NO_x,...) that can become highly toxic and, consequently, can present a serious health risk

5.3. Advice for fire-fighters.

Keep containers cool by spraying with water if exposed to fire.
Use a self contained breathing apparatus and a combination set for the fight against fire.

6. ACCIDENTAL RELEASE MEASURES.

6.1. Personal precautions, protective equipment and emergency procedures.

Refer to the protective measures listed in sections 7 and 8.
NO SMOKING. Do not expose to flame or any potential source of ignition (e.g. electrical equipment).
Avoid contact with skin and inhalation of vapours. Ensure adequate ventilation of the workplace.
For non-emergency personnel:
 Avoid all contact with skin and eyes.
For rescuers:
 Stakeholders will be equipped with appropriate personal protective equipment.

6.2. Environmental precautions.

Avoid direct discharge to sewer, surface water and groundwater, not make to penetrate into the soil (see item 6.3).

6.3. Methods and material for containment and cleaning up.

Absorb material with inert absorbent powder or granules (sand ...)
Major spills should be absorbed by sand or inert powder and destroyed or according to applicable regulations. If rags are used to wipe up, quickly get rid of by incineration, as cases of auto-oxidation with spontaneous combustion are known.
Clean dust with a vacuum cleaner. Wash with detergent and water.
Reduction of gases / fumes with water projection

6.4. Reference to other sections.

For exposure control and personal protection measures, see section 8.
For considerations of waste disposal, see section 13.

7. HANDLING AND STORAGE.

7.1. Precautions for safe handling.

Avoid contact with skin and eyes. Wear suitable gloves and eye protection. Ensure adequate ventilation of the workplace.
Follow proper hygiene rules : do not drink, eat or smoke while handling. Do not expose to flame or any potential source of ignition.

7.2. Conditions for safe storage, including any incompatibilities.

Store at room temperature (20°C +/- 5°C), in a cool, dry and ventilated place, protected from light, in the original containers if possible, full and tightly closed. Keep away from any source of ignition.
Once opened, any container must be carefully closed and positioned vertically to avoid any spillage.

7.3. Specific end use.

Perfume.

7.4. Directions for use.

Homogenize before use.

SAFETY DATA SHEET

(In accordance with article 2 of regulation 2020/878 and its amendments)

M SYSTEM ECLAT

Version No.: V10-CLP
Date revised : 08/04/2024

8. EXPOSURE CONTROLS/PERSONAL PROTECTION.

8.1. Control parameters.

N° CAS	Country	Designation	Dosage	VLEP8h (ppm)	VLEP8h (mg/m3)	VLEPCT (ppm)	VLEPCT (mg/m3)
----	----	----	----	----	----	----	----

8.2. Exposure controls.

8.2.1. Appropriate engineering controls.

Handling should be at a temperature as low as possible. Ensure proper ventilation.

8.2.2. Individual protection measures, such as personal protective equipment.

Respiratory protection :

Avoid excessive inhalation of vapors. If necessary wear a filter mask against gases. (EN14387 : 2004 + A1 : 2008)

Eyes protection :

Use safety goggles.

Skin protection :

Avoid skin contact . Use chemically resistant gloves as needed.

8.2.3. Environmental exposure controls.

Avoid direct discharge to sewer, surface water and groundwater, not make to penetrate into the soil.

9. PHYSICAL AND CHEMICAL PROPERTIES.

9.1. Information on basic physical and chemical properties.

Aspect	: liquid
Color	: colorless to light yellow
Odour	: Floral - Musk
pH	: no appropriate
Melting point	: not determined
Boiling point	: not determined
Explosive properties	: not explosive
Oxydising properties	: not determined
Vapor pressure	: < 2 mmHg
Specific gravity 20°C (d20/4)	: 1,0014 / 1,0214
Refractive index at 20°C	: 1,4562 / 1,4662
Flash point	: >100 °C
Viscosity	: not determined
Solubility	: Data not available

9.2. Other information.

None.

10. STABILITY AND REACTIVITY.

10.1. Reactivity.

SAFETY DATA SHEET

(In accordance with article 2 of regulation 2020/878 and its amendments)

M SYSTEM ECLAT

Version No.: V10-CLP

Date revised : 08/04/2024

Presents no significant reactivity hazard, by itself or in contact with water.

Avoid contact with strong acids.

For use in alcoholic solution it is preferable to use water with a slightly acid pH value (6-6,5).

10.2. Chemical stability.

Stable under normal ambient conditions.

10.3. Possibility of hazardous reactions.

No dangerous reactions under normal conditions of use.

10.4. Conditions to avoid.

Avoid temperatures near or above the flash point. Do not heat closed containers.

10.5. Incompatible materials.

Keep away any oxidizing agent or highly alkaline or acidic material.

10.6. Hazardous decomposition products.

No dangerous decomposition products known in the recommended storage conditions.

11. TOXICOLOGICAL INFORMATION.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

11.1.1. Acute toxicity :

See MSDS point 3.

11.1.2. Skin corrosion/irritation :

No toxicological data on the mixture itself.

11.1.3. Serious eye damage/eye irritation :

No toxicological data on the mixture itself.

11.1.4. Respiratory or skin sensitization :

No toxicological data on the mixture itself.

11.1.5. Germ cell mutagenicity :

No toxicological data on the mixture itself.

11.1.6. Carcinogenicity :

No toxicological data on the mixture itself.

11.1.7. Reproductive toxicity :

No toxicological data on the mixture itself.

11.1.8. Summary of evaluation of CMR properties :

No toxicological data on the mixture itself.

11.1.9. Specific target organ toxicity (STOT) - single exposure :

No toxicological data on the mixture itself.

11.1.10. Specific target organ toxicity - repeated exposure :

SAFETY DATA SHEET

(In accordance with article 2 of regulation 2020/878 and its amendments)

M SYSTEM ECLAT

Version No.: V10-CLP

Date revised : 08/04/2024

No toxicological data on the mixture itself.

11.1.11. Aspiration hazard :

No toxicological data on the mixture itself.

11.2. Information on other hazards:

Perfumery products should never be ingested. Keep away from food and drink.

12. ECOLOGICAL INFORMATION.

12.1. Toxicity.

This information is not available.

For all substances listed in paragraph 3 and EH classified A1 and / or EH C1, M FACTOR are equal to 1.

12.2. Persistence and degradability.

This information is not available.

12.3. Bioaccumulative potential.

This information is not available.

12.4. Mobility in soil.

This information is not available.

12.5. Results of PBT and vPvB assessment.

This mixture does not contain any ingredients considered to be either persistent, bioaccumulating and toxic (PBT) or very persistent and very bioaccumulating (vPvB) at levels of 0.1% or greater.

12.6. Endocrine disrupting properties.

The mixture does not contain any ingredients considered to have endocrine disrupting properties according to Article 57(f) of REACH or Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or more.

12.7. Other Adverse Effects.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

If the fragrance is classified as H410: Very toxic to aquatic life with long lasting effects

If the fragrance is classified as H411: Toxic to aquatic life with long lasting effects.

If the fragrance is classified as H412: Harmful to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS.

13.1. Waste treatment methods.

Product :

Must be dumped or incinerated at an approved center while complying with local regulations. Avoid disposal through the sewer and the dispersion in the environment.

Contaminated packagings :

Empty containers should be taken to a site approved for the treatment of waste for recycling or disposal.

14. TRANSPORT INFORMATION

SAFETY DATA SHEET

(In accordance with article 2 of regulation 2020/878 and its amendments)

M SYSTEM ECLAT

Version No.: V10-CLP

Date revised : 08/04/2024

Regulatory Information	14.1 UN number or ID number	14.2 Official shipping name	14.3 Class	14.4 Packing group	14.5 Marine pollutant	14.6 Info
ADR	none	none	---	---	---	---
IATA	none	none	---	---	---	---
IMDG	none	none	---	---	---	---

14.7. Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

15. REGULATORY INFORMATION.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

WGK : 1

Based on the available eco-toxicological data, this product is classified according to the European criteria for the classification of preparations for the environment.

15.2. Chemical safety assessment.

No chemical safety assessment has been carried out for this mixture by the supplier.

16. OTHER INFORMATION.

Full text of hazard phrases that appear in paragraph 3 :

Class/Cat. of hazard	Phrases of hazard
Acute Tox. 4	Acute Toxicity (oral) cat.4
Aquatic Acute 1	Acute Aquatic toxicity cat. 1
Aquatic Chronic 1	Chronic Aquatic toxicity cat. 1
Aquatic Chronic 2	Chronic Aquatic toxicity cat. 2
Aquatic Chronic 3	Chronic Aquatic toxicity cat. 3
Eye Irrit. 2	Eye Damage/eye irritation cat. 2
Skin Irrit. 2	Skin corrosion/ Irritation cat. 2

Entire text of H phrases appearing in section 3 :

Hazards	Hazard phrases
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

SAFETY DATA SHEET

(In accordance with article 2 of regulation 2020/878 and its amendments)

M SYSTEM ECLAT

Version No.: V10-CLP

Date revised : 08/04/2024

Legend of abbreviations and acronyms used in the safety data sheet :

ADR: Agreement for the transport of dangerous goods by road.
CE: European Community.
CLP: Classification, Labeling and Packaging.
CMR : Carcinogenic Mutagenic Reprotoxic.
ATE: Acute Toxicity Estimate.
EU : European Union.
IATA: International Air Transport Association.
ID Number : ID number.
IMDG: International Maritime Dangerous Goods.
M: M factor.
No. EINECS: Inventory of chemical substances existing on the Community market.
ELINCS No.: European List of Notified Chemical Substances.
CAS No.: Chemical Abstract Service number.
OMI : International Maritime Organization.
PBT: Persistent, Bioaccumulative and Toxic Substance.
REP: Reproductive Toxicity.
SS: Skin Sensitization.
UFI: Unique Formulation Identifier.
UN : United Nations.
VLEP: Occupational Exposure Limit Value.
VLEPCT: Short-Term Occupational Exposure Limit Value.
vPvB: Very Persistent and very Bioaccumulative substance.
WGK : Water Hazard Class.
GB : Great Britain.

The classification and the procedures used to establish the classification of the mixture, in accordance with EC regulation N°1272/2008 CLP, are based on a calculation method.

Replaces version v9-CLP

Section 2 modified
Section 3 modified

This sheet contains all the data concerning the product that are known at the date of release. The Safety Data Sheet is intended to provide information for a health and safety assessment of the material during transport, storage, or applied in the workplace. Attention to users is drawn to hazards resulting from improper use of the product.

Document produced and managed by means of computer. Valid without signature.